

**DOWNLOAD OUR NEW
REFERENCE CATALOGUE TODAY!**

BICKLESHARDWARE.COM OR CALL (905) 356-8151



SHOP ESSENTIALS PROMOTION!



SILVER HEAVY-DUTY WELDING & CUTTING OUTFIT

- Can weld up to 1/2" and cut up to 3/4"
- Ideal for industrial and commercial applications
 - Victor® Cutskill® compatible
- Comes in environmentally-friendly packaging for easy transportation
 - **Includes:** Torch handle with check valve ; Cutting attachment ; Oxygen/acetylene regulators with 2 1/2" double-scale gauges ; Cutting tip #1 ; Welding nozzle #2 ; T-Grade 17.5' twin hose ; Goggles ; Striker
 - Style: Victor® Equivalent
 - Cuts To: 3/4"
 - Welds To: 1/2"



Model No.	MFG No.	Promo Price
TTV022	7130	659.00

WET-BULB GLOBE TEMPERATURE (WBGT) HEAT STRESS METER

- Measures ambient temperature, humidity, wet bulb temperature, black globe temperature, WBGT (wet bulb global temperature), heat stress index, dew point and pressure
- Heat Stress Index measures how hot it feels when humidity is combined with temperature, air movement and radiant heat
 - Black Globe Temperature (GT) monitors the effects of direct solar radiation on an exposed surface
- **Includes:** R6200 WBGT Heat Stress Meter and Batteries
 - Air Temperature Range: 0 to 50°C (32 to 122°F)
 - WBGT Temperature Range: 15° - 59°C (59° - 138.2°F)
 - Humidity Range: 0% - 99.9% RH
- Power Supply: 4 x AAA Batteries, Optional AC Adapter
 - Product Certifications: CE, RoHS



REED

Model No.	MFG No.	Promo Price
IB908	R6200	170.00

24" ROLL-ABOUT FAN


- 3-speed, 1/5 HP, 120 V motor
- Cart-mounted fan for increased air circulation and optimal mobility
- Can be tilted/positioned to maximize ventilation
- Cart and frame configuration provides stable quiet operation
- 9.8' SJT power cord



Model No.	High	CFM Med	Low	Promo Price
EA476	10760	7770	7040	395.00

INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 120 V
- All-metal construction
- Pedestal fan models have an open motor and wall mounted models have fully enclosed motor
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- No. of Speeds: 2



EA645

EA643

Model No.	Description	HP	CFM High	Low	Promo Price
OSCILLATING					
EA643*	24" Pedestal	1/4	11800	7760	580.00
EA647*	30" Pedestal	1/3	13200	6700	665.00
EA645	24" Wall Mount	1/4	11500	7680	499.00
EA649	30" Wall Mount	1/4	10780	7760	545.00
NON OSCILLATING					
EA642*	24" Pedestal	1/4	11800	7760	450.00
EA646*	30" Pedestal	1/4	10780	7440	520.00
EA644	24" Wall Mount	1/4	11500	7680	399.00
EA648	30" Wall Mount	1/4	10780	7440	445.00

* Features adjustable height and a heavy-duty round base for added stability

Pricing in effect until October 7, 2022 or while quantities last. Taxes and freight extra. Issue #SDW222072NA

Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.

AP100 SERIES PAINT BRUSH SET

- Tin-plated ferrule
- Well-suited for latex-based paints
- No. of Pieces: 4
- Brush Width: 1", 2", 3" & 4"
- Handle Material: Plastic
- Filament Material: 100% black polyester bristles
- Brush Shape: Flat



aurora tools®

Model No.	Promo Price
KP853	6.32

AP200 SERIES PAINT BRUSH SET

- Tin-plated ferrule
- Well-suited for oil-based paints
- No. of Pieces: 4
- Brush Width: 1/2", 1", 2" & 3"
- Handle Material: Wood
- Filament Material: White China
- Brush Shape: Flat



aurora tools®

Model No.	Promo Price
KP854	2.88

AP300 SERIES PAINT BRUSH SET

- Tin-plated ferrule
- Well-suited for oil-based paints
- No. of Pieces: 4
- Brush Width: 1", 2", 3" & 4"
- Handle Material: Plastic
- Filament Material: Natural Bristles
- Brush Shape: Flat



aurora tools®

Model No.	Promo Price
KP855	6.99

PAINTERS MASKING TAPE

- High quality painting tape adheres to multiple surfaces
- Reliable adhesion resists paint bleed-through
- Removes cleanly in one piece
- Length: 55 m (180')

PF691



aurora tools®

Model No.	Width	Promo Price
PF690	25 mm (1")	3.10
PF691	50 mm (2")	6.10

MULTI-USE PAINT ROLLER SLEEVES

- Designed for smooth surfaces
 - Length: 230 mm (9")
- Sleeve Material: Polyester Fibre
- Core Material: PP (Polypropylene)
 - Core Diameter: 1-1/2"
 - Application Type: Oil and latex paints

KP726



aurora tools®

Model No.	NAP	Promo Price
KP726	6 mm (1/4")	2.40
KP727	9.525 mm (3/8")	2.80

EMPTY PAINT CANS

- Ideal for storing paints, coatings, and stains
- Features cover and handle for easy pouring, transport, and storage
- Tight-seal lid
- Material: Metal
- Can Design: Plain

KP922



aurora tools®

Model No.	Capacity	Promo Price
KP922	1 US Gal. (3.78 L)	8.29
KP923	0.25 US Gal. (946 ml)	3.55

INDUSTRIAL ENAMEL PAINT

- Offers an economical solution to marking, colour coding and miscellaneous spray paint needs where long term quality and durability are not required
- Dries to touch in 12 minutes
- VT alkyd formulation
- Application: For use on ceramic, plaster, glass, metal, wood and most other surfaces
- Container Type: Aerosol Can
- Container Size: 16 oz.
- Net Volume: 10 oz.
- Paint Base Type: Solvent-Based

NI472



Model No.	MFG No.	Colour	Swatch	Promo Price
NI472	A04401007	Gloss White		7.78
NI478	A04402007	Gloss Black		7.78
NI512	A04405007	Gloss Grey		7.78
NI492	A04412007	Flat Black		7.78
NI474	A04413007	Gloss Orange		7.78
NI513	A04420007	Gloss Dark Grey		7.78
NI507	A04422007	Flat White		7.78
NI475	A04404007	Gloss Red		7.78
NI510	A04431007	Gloss Brown		7.78
NI479	A04418007	Flat Grey Primer		7.78

SP404 ECO-GRADE™ VANDAL MARK & GRAFFITI REMOVER

- Soy based, contains natural, biodegradable ingredients made to replace terpene or petrochemical based products
- Quickly and easily removes paint, ink, crayon, magic marker and adhesive residue
- Sprays and clings to vertical surfaces
- Penetrates and dissolves oil based stains quickly
- Container Size: 16 oz.
- Container Type: Aerosol Can
- Net Volume: 12 oz



Model No.	MFG No.	Promo Price
AD402	SC0404000	21.80

BIG FOOT™ HEAVY-DUTY PEDESTRIAN GRADE ANTI-SLIP FLOOR COATING

- For areas with heavy pedestrian or light rolling traffic. Ideal for ramps, walkways, locker rooms, stairs and assembly areas
- Container Type: Gallon
- Container Size: 1 gal.
- Net Volume: 1 gal.
- Base Type: Epoxy-Based
- Coverage: 50 sq.ft.

AA603



LOCTITE

Model No.	MFG No.	Colour	Promo Price
AA603	1602679	Black	193.00
AA604	1602121	Grey	224.00

ACRYLI-QUIK™ MAINTENANCE SPRAY PAINT

- For industrial maintenance and touch-up applications
- Dry in 12 minutes or less
- Original No runs, no drips no errors!™ formula!
- Superior performance, both indoors and outdoors
- VOC-compliant acrylic lacquer formula, free of lead hazards
- Container Type: Aerosol Can
- Container Size: 16 oz.
- Net Volume: 12 oz.
- Finish: Gloss
- Paint Base Type: Water-Based



NA469

Model No.	MFG No.	Colour	Swatch	Promo Price
NA469	K01608A07	Smoke Grey		17.20
NA480	K01806A07	Sun Yellow		17.20
NA484	K01901A07	Regal Blue		17.20

INDUSTRIAL OVERHEAD MARKING PAINT

- Overhead marking paint sprays in an upright position, dries fast and is a low odour formula
- Penetrates and clings to uneven surface
- Comes in bright, high visibility fluorescent colours
- Fast drying; dry to the touch in 10 minutes
- VOC & MIR compliant
- Application: For use in marking mines, underground utilities, construction, excavation sites and bridges
- Container Type: Aerosol Can
- Container Size: 20 oz.
- Net Volume: 17 oz.
- Paint Base Type: Water-Based

KP092



Model No.	MFG No.	Colour	Swatch	Promo Price
KP092	K04003000	Fluorescent Orange		13.50
KP093	K04005000	Fluorescent Green		13.50

FUSION ALL-IN-ONE™ PAINT

- Superior adhesion and durability
- Indoor/outdoor use with maximum rust protection
- No sanding or priming required
- Big button spray tip with spray any way capabilities
- Container Type: Aerosol Can
- Container Size: 16 oz.
- Net Volume: 12 oz.
- Finish: Gloss
- Dry to Touch: 20 min.
- Dry to Handle: 1 hr

KQ022



Model No.	MFG No.	Colour	Swatch	Promo Price
KQ022	427020007	Black		15.90
KQ027	427250007	Sunbeam		15.90
UAJ412	427270007	Gloss White		15.90

CAM ACTION CABLE CONNECTORS

- One model fits cable sizes 4 through 4/0
- Manufactured from heavy wall precision machined brass alloy
- Cable is held securely by large dome screw
- Brass body assembly slides easily into unique heavy-duty neoprene insulator with no external screws to avoid shock hazards




NT664



Model No.	Description	Promo Price
NT664	Male/Female Connector Set	18.39
NT649	Male Half with Insulator	9.99
NT650	Female Half with Insulator	8.89

HEAVY-DUTY "C-STYLE" GROUND CLAMP

- C-type jaws are adjusted by screw lever
- Rubber insulated cable connector
- Amperage Rating: 600



Model No.	Promo Price
NT665	51.49

QUICK-CONNECT SETS

- For welding, cutting, brazing and plasma applications
- Durable solid brass construction
- Pressure up to 125 PSI
- B-size, 9/16"-18 UNF thread with reverse flow check valves

312-4276



WESTERN ENTERPRISES

312-4280



312-4284



Model No.	MFG No.	Description	Promo Price
312-4276	QDB10	Torch-to-Hose	80.89
312-4280	QDB20	Hose-to-Hose	84.99
312-4284	QDB30	Regulator-to-Hose	84.99

FLASHBACK ARRESTORS

- Color-coded for gas service to provide added safety - oxygen (green), fuel gas (red)
- Internal check valves designed to prevent reverse flow and accidental mixing of oxygen and fuel gases
- Maximum operating pressures are 15 PSIG for acetylene, 22 PSIG for other fuel gases and 125 PSIG for oxygen
- Rated capacity of 40 SCFH with a 5 PSIG pressure drop
- 10" maximum cutting capacity
- UL listed and 100% tested



WESTERN ENTERPRISES

312-3377



312-3376



Model No.	MFG No.	Connection Type	Components	Promo Price
312-3376	FA-10	Torch	FA-100P, FA-200P	79.59
312-3377	FA-30	Regulator Adaptor	FA-130P, FA-230P	86.79

TIP-NIP TIP REFACERS

- For easy, fast precision tip resurfacing
- Insert tip and give a few turns
- Pitted tip is resurfaced for new performance
- Extends tip life



Model No.	Promo Price
NT820	21.79

SHORTSTUB™ ELECTRODE HOLDERS

- Manufactured from copper alloy for maximum conductivity and strength
- Fibreglass insulators are designed to withstand intense heat and impact
- Electrode Capacity: 3/32" (2 mm) - 3/16" (5 mm)



Model No.	Description	Amps	Promo Price
NT629	Shortstub™ w/Neck Ring	400	18.79
NT631	Shortstub™ w/Neck Ring	600	21.89
NT630	Slimline - Bernard® Style	400	18.79

MIG WIRE CLEANING PADS

- Designed for use on all MIG wire feeders
- Removes dust and dirt from the wire prior to wire entry into the liner conduit
- Use of wire feed pads can decrease the coefficient of friction in the liner as much as 50%-60% and reduce erratic feed and burn backs
- Treated pads can be used on all alloyed wires except aluminum



DYNAFLUX
QUALITY PRODUCTS

Model No.	Qty /Pkg.	Promo Price
720-1000-KIT	6	10.69/Pkg.

SOAPSTONE & HOLDER


- All-metal construction holder
- Positive lock adjustment
- Each holder comes with one soapstone
- 144 white soapstones per box



Model No.	Description	Promo Price
NT639	Flat Soapstone Holder	3.99/Ea.
NT225	Flat Soapstone - 144 Pieces	30.39/Box

SAFETUBE® ROD CANISTERS

- Protects electrodes from dirt, grease and moisture
- Pressure fitted O-ring provides a watertight seal
- Withstands electrodes heated to 250°F
- Requires only a quarter turn to remove cap



Model No.	MFG No.	Capacity	Promo Price
382-4010	1205441	Up to 10 lbs. of 14" Electrodes	9.99
382-4040	1205455	Up to 15 lbs. of 18" Electrodes	15.39
TTV109	1205488	Up to 15 lbs. of 36" TIG Rods	26.19

HOSE REPAIR KIT

- Special B-size kit offers 12 different items most frequently used for hose repair
- Kit with C-5 crimp tool for 3/16" x 1/4" I.D. hose
- Tough polyethylene case includes handy chart that identifies and describes fittings in each compartment.
- Includes: Hose nuts & nipples splicers couplers ferrules crimping tool
- Material: Brass



Model No.	MFG No.	Promo Price
NP497	CK-24	119.00

MIG NOZZLE REAMER

- Cleans hot MIG nozzle on the torch
- Self adjusting to fit all size nozzles
- Expanding spring steel cleaner



Model No.	Promo Price
TTU660	5.39

HOTSPOTTER ALL-PURPOSE PROPANE TORCH KIT



- Works off the pressure of a propane tank, no regulator required
- Heavy-duty kit with durable cast iron and steel nozzle
- 500000 BTU rating
- Ideal for a wide variety of all-season maintenance/repair applications
- Includes: 10' neoprene hose, striker and on/off valve



Model No.	MFG No.	Promo Price
312-4904	WB-101	139.00

FOLD-A-JACK® HI JACKS

- 1" square tube base construction
- Quick-action lock washer for quick height positioning
- Patented Fall Guard™ feature allows 1" safety zone around lock washer
- 1-1/2" Acme fine adjustment thread handle, the largest in the industry
- Large, convenient adjustment handle
- Set screw for double margin of safety, can lock jack head to stand for transportation, no loose pieces
- Perfect for work height on shapes or pipes 24" in diameter or smaller
- Carrying handle for ease of transporting
- Jack independently load tested for quality assurance
- 2500-lb capacity
- CE rated



Model No.	MFG No.	Description	Promo Price
432-1161	781300	ST-881 w/Vee Head	199.00
432-1162	781301	ST-882 w/Roller Head	290.00

WELDERS' PREMIUM QUALITY GLOVES

- Premium quality split cowhide leather construction
- Excellent abrasion resistance
- Outside double palm and thumb extend wear life
- Thermal cotton palm lining provides added heat protection
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
- Size: Large
- Inner Lining: Cotton
- Leather Palm Type: Split Cowhide
- Thumb Style: Wing
- Cut Pattern: Gunn



Model No.	Promo Price
SAN635	7.99/Pair

LAVA BROWN LEATHER SPATS

- Heat and flame-resistant leather is made from durable side split cowhide
- Designed to allow even weight distribution on the user to reduce fatigue



TTU390



Model No.	Length"	Promo Price
TTU390	6	25.99/Pair
TTU391	14	55.99/Pair

REBEL ADF WELDING MASK

- One-piece design protects against UV and IR leakage as well as spark and spatter penetration
- Engineered with the latest advancements in True Color technology
- Exclusive wrap-around face shield for added protection
- Compatible with prescription eyewear and Jackson Safety hard hats
- Meets or exceeds ANSI Z87.1, CAN/CSA Z94.3 standards and is CE certified
- Colour: Black
- Viewing Area: 3.5" L x 1.3" W
- Shade Level: 3/5-12



Model No.	MFG No.	Promo Price
SGW859	46200	249.00

WELDERS' PIPELINER GLOVES

- Premium split cowhide leather exterior construction
- Full grain cowhide leather interior provides incomparable comfort
- Protective leather patch on back of left hand
- Excellent abrasion resistance
- Unlined
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



SAV008



Model No.	Size	Promo Price
SAV008	Large	11.59/Pair
SEB930	X-Large	12.75/Pair

FLAME RETARDANT JACKETS

- Manufactured from flame retardant treated cotton sateen
- Will retain its flame-retardant properties for up to 50 normal washings
- Specially-designed underarm sport cut and hemmed collar
- 9-oz. jacket includes inside pocket and five snaps
- Material: Cotton
- Colour: Black



TTU998



Model No.	Size	Chest Measurements"	Promo Price
TTU998	Medium	40-42	42.99
TTU999	Large	44-46	42.99
TTV001	X-Large	48-50	42.99
TTV002	2X-Large	52-54	47.65
TTV003	3X-Large	56-58	52.35
TTV004	5X-Large	64-66	60.45

WH40* ELEMENT WELDING HELMET

- Variable ADF, 4.33" x 3.54"
- Lightweight shell weighs only 6 oz.
- Two independent arc sensors
- Solar powered unit
- Meets ANSI Z87.1 and compliant with CSA standard Z94.3



Model No.	MFG No.	Promo Price
SEA769	23282	179.00

ECONOMY V-LINE BRASS PADLOCKS



SAS395

- Case hardened shackle resists sawing and filing
- Solid brass body and cylinder construction resists corrosion - ideal for harsh environments
- Locks come with two keys
 - Type: Security
- Shackle Material: Steel
- Keyed Different

Master Lock

Model No.	MFG No.	Body Width"	Shackle Dia."	Clearance H"	W"	Promo Price
SAS395	4120	3/4	5/32	7/16	3/8	3.75
SAS397	4130	1-1/8	3/16	9/16	9/16	5.65
SAS015	4140	1-1/2	1/4	13/16	13/16	7.55
SAS401	4150	1-7/8	9/32	15/16	1	11.35

COMBINATION PADLOCK

- Easy 3-number dialing with automatic scrambling feature to prevent reopening of lock
- Double-reinforced stainless steel case with cold-rolled steel construction shields locking mechanism from physical attack
- Supervisory feature allows a control key to be used to access all combination padlocks within a system - great for storage lockers
- Patented Blockguard® Anti Shim Technology withstands attempts to violate the latch mechanism
- Body Width: 1-7/8"
- Shackle Diameter: 9/32"
- Shackle Clearance Height: 3/4"
- Shackle Clearance Width: 13/16"
- Shackle Material: Steel
- Colour: Silver
- Shackle Opening Width: 13/16"
- **SAX609** control key sold separately

SAX608



Master Lock

Model No.	MFG No.	Description	Promo Price
SAX608	1525	Padlock	11.75
SAX609	K1525	Control Key	4.99

LOCKOUT STATION

- Integrated, one-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent lockable cover
- **Includes:** 4 padlocks, 2 lockout hasps, 12 lockout tags
- Dimensions: 12.25" x 16" x 1.75"
- Description: Station with Zenex™ Padlocks



Master Lock

Model No.	MFG No.	Promo Price
SAO602	1482BP410FRC	219.00

SERIES A1105 AMERICAN LOCK® SAFETY PADLOCKS

- 1/4" diameter boron steel shackle with plated finish for corrosion resistance
- Uses FDA approved lubricants safe for use in food processing
- Lightweight solid aluminum body for lockout/tagout
- Body Dim.: 1-1/2" W x 1.75" T
- Shackle Clearance: 3/4" W x 1" H x 1/4" Dia.
- Keyed Different



Master Lock

Model No.	MFG No.	Colour	Promo Price
SAO712	A1105BLK	Black	17.99
SAO713	A1105BLU	Blue	17.99
SAO714	A1105GRN	Green	17.99
SAO715	A1105ORJ	Orange	17.99
SAO716	A1105RED	Red	17.99
SAO717	A1105YLW	Yellow	17.99
SAO718	A1105BRN	Brown	17.99
SAO719	A1105CLR	Clear	17.99
SAO720	A1105PRP	Purple	17.99

SAFETY LOCKOUT HASPS

- Attach hasp to energy disconnect switch
- Control cannot be turned on until last worker's padlock is removed from hasp
- Steel jaw with vinyl coated handle
- Jaw Diameter: 1/4"
- Max. No. of Padlocks: 6

SEA314



SA875

Master Lock

Model No.	MFG No.	Colour	Inside Jaw Clearance"	Dim. W" x L"	Promo Price
SA875	420	Red	1	1-3/4 x 4-1/2	7.49
SA876	421	Red	1-1/2	2-3/8 x 5	8.59
SEA314*	416	Silver	1	1-1/2 x 4-3/8	7.49
SEA315*	417	Silver	1-1/2	2 x 4-7/8	8.65

* Spark resistant aluminum

ELECTRICAL LOCKOUT KIT

- **Contains:**
 - 1 breaker switch padlock SAL525
 - 1 hasp SA875
 - 1 portable safety carrying case SEC446
 - 1 snap-on hasp SAL541
 - 1 wall switch cover SAO708
 - 12 "DO NOT OPERATE" tags
 - 2 circuit breaker lockouts SAO594
 - 3 circuit breaker lockouts SAO595
 - 3 Zenex™ padlocks, keyed alike



Master Lock

Model No.	MFG No.	Promo Price
SAL536	1457E410KA	195.00

INDESTRUCTIBLE HANDLE HAMMERS

- Meets ANSI BS 876 standard for material hardness and performance
- Will not break, bend, or split even after repeated overstrikes
- Indestructible handle is made up with spring steel bars, encased in rubber, running through the handle
- Spring steel bars are locked into the hammer head with steel locking plates, ensuring it never dislodges
- Ergonomic rubber grip handle absorbs impact and vibration reducing user fatigue
- Head is induction case hardened 52-56 HRC
- Head Weight: 4 lbs.
- No. of Spring Steel Bars: 4
- Face Diameter: 1-1/2"

TYB492



aurora tools®

Model No.	Overall Length"	Promo Price
TYB492	12	74.59
TYB493	16	91.79

PIPE WRENCHES

- Drop-forged alloy steel jaw
- Durable ductile steel body provides the ultimate in performance
- Precision milled sure gripping teeth
- Spring action ensures sure grip and quick release



TJZ106

aurora tools®

Model No.	Length"	Jaw Capacity"	Promo Price
TJZ106	8	1	9.89
TJZ107	10	1-1/2	12.99
TJZ108	12	2	15.99
TJZ109	14	2	19.79
TJZ110	18	2-1/2	32.69

WRECKING BAR

- High quality steel
- Width: 7/8"
- Overall Length: 14"
- Colour: Black



aurora tools®

Model No.	Promo Price
TYL028	6.29

MEASURING TAPE

- Heavy-duty tape line
- Sure locking brake
- Easy-to-read blade
- Two rivets holding the tip for extra security
- Composite covering for extra comfort
- Graduations: in/ft.



TJZ115

aurora tools®

Model No.	Blade Length'	Blade Width"	Promo Price
TJZ115	12	5/8	4.69
TJZ801	25	1	9.69
TJZ804	25	1-1/4	15.49

C-CLAMPS

- Manufactured from SG iron with over 60000 PSI of tensile strength
- Swiveling pad adapts to the correct angle to apply even pressure on the work piece
- Textured powder coat finish on frame and black oxide finish on spindle increases corrosion resistance



TYB504

aurora tools®

Model No.	Clamping Capacity	Throat Depth	Clamping Force	Promo Price
TYB504	4" (102 mm)	2-11/32" (60 mm)	1200 lbs.	22.39
TYB505	6" (152 mm)	3" (76 mm)	1400 lbs.	28.79
TYB506	8" (203 mm)	3-1/8" (76 mm)	1700 lbs.	37.79
TYB507	10" (254 mm)	3-1/2" (90 mm)	2200 lbs.	49.19

CLUTCH STYLE BAR CLAMPS

- Powder coated, malleable cast iron jaws
- 2-piece slip clutch plates for quick adjustment
- Nickel-plated, drawn serrated rail
- Non-marring pads on the top and bottom jaws to protect work surface
- Throat Depth: 2-1/2" (64 mm)
- Clamping Force: 600 lbs.



TLV269



Model No.	MFG No.	Clamping Capacity	Promo Price
TLV269	GSCC2.506	6" (152 mm)	16.19
TLV270	GSCC2.512	12" (305 mm)	17.99
TLV271	GSCC2.518	18" (457 mm)	21.49
TLV272	GSCC2.524	24" (610 mm)	23.89
TLV273	GSCC2.530	30" (762 mm)	26.19
TLV274	GSCC2.536	36" (914 mm)	27.49

HAND DRIVER & BIT SET

- Made from S2 modified shock resistant steel for professional performance and durability
- Proprietary precision CNC machined tips for excellent fit in fastener recess
- **Includes:** 1" x 1/4" x 1/4" drive socket adapter, 1/4" ratcheting bit wrench, Industrial grade screwdriver, 1/4" x 4" magnetic bit holder
- Includes Phillips bits: 1" x #0, 1" x #1, 1" x #2, 1" x #3, 6" x #2, 6" x 3"
- Includes slotted bits: 1" x 4-5, 1" x 6-8, 1" x 8-10, 1" x 10-12
- Includes square bits: 1" x #1, 1" x #2, 1" x #3, 6" x #2, 6" x #3
- Includes hex bits: 1" x 1/8", 1" x 9/64", 1" x 5/32", 1" x 3/16", 1" x 7/32", 1" x 1/4"
- Includes Torx® bits: 1" x T10, 1" x T15, 1" x T20, 1" x T25, 1" x T27, 1" x T30, 1" x T40, 6" x T20, 6" x T25
- Drive Size: 1/4" Hex
- No. of Pieces: 34



Model No.	MFG No.	Promo Price
UA1348	V34-BRH	82.49



AUTO-RETRACTABLE KNIFE

- Blade retracts automatically the moment it loses contact with the material being cut
- Helps reduce workplace injuries, lowering lost time and increasing productivity
- Accepts all standard type utility knife blades
- Quick and easy blade change
- Includes three black-coated blades
- Durability: Utility
- Blade Width: .64 mm
- Blade Material: Carbon Steel
- Handle Type: Plastic
- Overall Length: 7"



Model No.	MFG No.	Description	Promo Price
TTB917	WKAR2	Utility Knife	18.39
TBH838	RWK14V	Replacement Blades, 5/pkg.	2.39/Pkg.

NUT DRIVER SET

- No. of Pieces: 7
- **Contains:** 3/16", 1/4", 5/16", 1/32", 3/8", 7/16", 1/2"
- Handle Type: Plastic
- Color-coded handles make for easy identification
- High visibility, oil and solvent resistant acetate handle
- Chrome finish for maximum resistance against corrosion
- Non Magnetic



Model No.	MFG No.	Promo Price
QD538	CHS7A	94.49

BI-MATERIAL PLIERS SET

- 3-Zone bi-material grips for comfort and control
- Black oxide finish helps resist corrosion
- Drop-forged steel for strength and durability
- **Includes:** 8" slip joint pliers, 7" diagonal pliers, 8" lineman's pliers, 8" long nose pliers
- No. of Pieces: 4
- Manufacturer's Warranty: Limited Lifetime



Model No.	MFG No.	Promo Price
NJX822	84-058	45.39

COMPACT AVIATION SNIPS

- All three styles in a nylon pouch
- All the power of a full size aviation snip, but is 25% smaller
- Extremely compact cutting head allows for great maneuverability, cutting the narrowest radii
- Designed for long continuous, straight and curved cuts, sliding the surface being cut beneath your fingers and reducing the chance of injury



Model No.	MFG No.	Promo Price
TLV294	D15-SET	61.79



SOLID STEEL ANTI-SHOCK PREMIUM RIPPING CLAW HAMMER

- Anti-vibration feature helps absorb shock
- 1-piece forged solid steel construction
- Co-moulded contoured handle for increased comfort and control
- High-luster, full polished finish
- Head Weight: 16 oz.
- Face Finish: Polished
- Overall Length: 12-7/8"



Model No.	MFG No.	Promo Price
WJ191	SS16RN	39.49

BELT SANDER

- Ideal for sanding, blending and smoothing operations in various industries
- Low maintenance motor
- Easy belt changes
- Right hand usage only
- Not reversible
- Air Consumption: 16 CFM
- Air Inlet: 1/4" NPTF
- Sound Level (dBA): 85
- Belt Size: 20-1/2" - 3/4"
- No Load RPM: 16500
- Power: 0.5 HP
- Wattage: 373
- Air Consumption At Free Speed: 6.8 L/s
- Hose I.D.: 3/8"



aurora tools®

Model No.	Promo Price
UAG276	259.00

UTILITY HAMMER

- Ideal for structural maintenance and repair
- Air Consumption: 25 CFM
- Air Inlet: 1/4" NPTF
- Sound Level (dBA): 100
- Head Material: Steel
- Chisel Shank: 0.401" (Round)
- Bore Diameter: 3/4" ID (19.05 mm)



aurora tools®

Model No.	BPM	Bore & Stroke"	Cold Rivet Cap"	Overall Length"	Promo Price
UAG273	2200	3/4 x 3-5/8	5/16	9-13/16	89.69

HEAVY-DUTY AIR BLOW GUN, 7-PC. KIT

- Impact and weather resistant nylon body
- Ergonomic soft rubber grip
- Variable speed trigger controls the amount of air dispensed
- Brass threaded air inlet ensures that threads do not shear
- Air Inlet: 1/4" NPTF
- Operating temperature: -10°C to 70°C (14 to 158°F)
- Working pressure: 50-235 PSI



aurora tools®

Model No.	Promo Price
TYB523	89.00

6" DUAL-ACTION ORBIT SANDER

- Air Consumption: 9 CFM
- Air Inlet: 1/4" NPT
- Sound Level (dBA): 78
- No Load RPM: 10000
- Hose Diameter: 3/8" (9.5 mm)
- Vibration Less Than 0.8 m/s²
- Horsepower: 0.35 HP
- Overall Length: 7"



aurora tools®

Model No.	Promo Price
TLZ143	199.00

HOSE REEL

- For use with air and water
- Multi-position guide arm for multiple mounting options
- Kinkless, oil resistant high quality hose
- 300 maximum PSI
- Inner Hose Diameter: 3/8"
- Reel Outlet: 1/4" NPTM



aurora tools®

Model No.	Hose Length'	Promo Price
TLZ485	50	279.00

EMERGENCY WELDING HOSE REPAIR KIT

- Plastic kit box contains:
 - 1 Standard jaw pincers
 - 6 Oxygen "B" RH brass nuts
 - 6 Acetylene "B" LH brass nuts
 - 6 1/4" brass nipples
 - 4 1/4" brass hose menders
 - 2 3/16" brass nipples
 - 2 3/16" brass hose menders
 - 10 1/2" 2-ear clamps
 - 40 9/16" 2-ear clamps
 - 4 9/16" twin clamps



OETIKER®
Connecting Technology

Model No.	MFG No.	Promo Price
NP512	18500106	219.00

FILE SET WITH HANDLES

- File kit for general purpose suitable for home and professional use
- Suitable for use on metals, mild steel, iron, plastics, stainless steel, hard rubber, and wood
- Ergonomic handle with rubber for better control, comfort and safe work
- **Includes:** 6" Slim taper file, 8" Flat bastard file, 8" Half round bastard file, 10" Mill bastard file, 10" Flat bastard file, 10" Half round bastard file, 10" Round bastard file, 12" Mill bastard file, 4-in-1 Rasp & file combination
- No. of Files: 9

aurora tools®



Model No.	Promo Price
UAU778	94.49

CONTRACTOR SAW BLADES

- Diameter: 10"
- Arbor Size: 5/8"
- Application Type: Wood
- Hook Grind: ATB

TDX901

- General Purpose
- For cutting oak, pine, plywood, pressure treated lumber and beams

TDX901



TDX905

- Combination
- For ripping and crosscutting

TDX905



TDX909

- Fine Finishing
- For crosscutting oak, pine, melamine, plywood and molding, very smooth finish

TDX909



Model No.	MFG No.	No. of Teeth	Promo Price
TDX901	D1040X	40	56.50
TDX905	D1050X	50	64.90
TDX909	D1060S	60	75.50

LONG LIFE C-TRIM FLAP DISCS

- For edge grinding and weld seam finishing on steel and stainless steel
- Long life technology for maximum lifetime
- Easy trim plastic backing allows the complete disc to be utilized
- Compressed edge ensures stability during edge grinding and provides a "built-in grinding angle"
- Arbor Size: 5/8"-11
- Abrasive Material: Zirconia Alumina
- Type: 27



Model No.	MFG No.	Grit	Dia."	Promo Price
TCT359	34464900	40	4-1/2	6.79
TCT360	34464921	60	4-1/2	6.79
TCT361	34464922	80	4-1/2	6.79
TCT362	34464923	120	4-1/2	6.79
TCT364	34464925	60	5	8.49
TCT365	34464926	80	5	8.49
TCT366	34464927	120	5	8.49

CERABOND CUTTING DISCS

- Works especially well with stainless steel
- High-performance ceramic cutting disc
 - Thickness: 0.045"
 - Arbor Size: 7/8"
 - Type: 1



Model No.	MFG No.	Dia."	Max. RPM	Promo Price
NV293	34256272	4-1/2	13200	4.09
NV294	34256273	5	12250	4.49
NV295	34256274	6	10200	6.29

4-IN-1 RASP & FILE COMBINATION

- A multi-use tool used for many different tasks
- Designed with both round and flat surfaces
- File and rasp in one tool
- Shape: Half Round
- Length: 6"
- Cut Type: Multiple



aurora tools®

Model No.	Promo Price
UAK333	7.19

HEAVY-DUTY TOOL BOXES

- ABS plastic latches
- Heavy-duty polypropylene fabrication
- Deep storage compartments
- Padlock eye for safe storage
- Removable inner tray



TLV084



TLV082

aurora tools®

Model No.	O.A. Dimensions W" x D" x H"	Features	Promo Price
TLV082	15 x 7 x 5-1/2	-	28.69
TLV083	17-1/2 x 9-1/2 x 8	-	48.49
TLV084	17-1/2 x 9-1/2 x 8	2 Parts Boxes, 1 Organizer	58.39
TLV085	22 x 11 x 10-1/2	3 Organizers	77.29

HEAVY-DUTY TOOL CART

- Heavy-duty double wall steel construction for added strength
- Quadra level ball bearing slides on all drawers
- Drawers feature soft close technology
- Heavy-duty reinforced bottom support rails for heavier loads
- No. of Drawers: 7
- Colour: Black
- Overall Dim.:
28" W x 22" D x 42-3/8" H
- Drawer Capacity: 120 lbs.
- Unit Capacity: 1400 lbs.
- Caster Dimensions:
5" x 2" (127 mm x 51 mm)

aurora tools®

Model No.	Promo Price
TER069	999.00



INDUSTRIAL TOOL CART

- Double wall steel construction for added strength
- Full extension ball bearings slides on all drawers
- Extruded aluminum drawer handle trim
- Non-slip drawer liners
- No. of Drawers: 7
- Colour: Black
- Overall Dimensions:
27" W x 18-3/4" D x 39" H
- Drawer Capacity: 100 lbs.
- Unit Capacity: 1400 lbs.
- Caster Dimensions: 5" x 2"
(127 mm x 51 mm)

aurora tools®

Model No.	Promo Price
TER065	599.00



ATB100 PORTABLE TOOL BOXES WITH METAL TOOL TRAY

TEP336

- Durable steel construction
- Heavy-plated latches
- Inner trays in regular hand boxes
- High gloss powder coat paint finish
- Colour: Red
- Unit Capacity: 50 lbs.



aurora tools®

Model No.	W"	x	Overall Dim. D"	x	H"	Promo Price
TEP516	16	x	6	x	6-1/2	55.69
TEP336	21	x	8-3/4	x	9	94.49

COMPARTMENT CASE

- High strength, high quality polypropylene case
- Translucent lid allows for quick view of contents
- Snap latch ensures a secure closure
- Removable dividers allow for different configurations



CF333

aurora tools®

Model No.	W"	x	Overall Dim. D"	x	H"	Promo Price
TLZ117	5.5	x	5.5	x	1.5	5.69
CF333	10.75	x	5.375	x	1.5	8.09

INDUSTRIAL TOOL CHEST

- Double wall steel construction for added strength
- Full extension ball bearings slides on all drawers
- Extruded aluminum drawer handle trim
- Powder coat scratch resistant black paint
- No. of Drawers: 4
- Colour: Black
- Overall Dimensions:
26" W x 12" D x 14-1/4" H
- Drawer Capacity: 75 lbs.
- Unit Capacity: 375 lbs.



aurora tools®

Model No.	Promo Price
TER066	335.50

CENTER TRAY TOOL BAG

- Includes multi-compartment plastic tray
- Features 8 large pockets and 8 smaller pockets
- Features extra padding on handles and strap
- Includes metal tool snap and electrical tape strap
- Colour: Black
- Material: Canvas
- No. of Pockets: 16
- Tray Dimensions: 13-1/2" x 9"



Model No.	MFG No.	Promo Price
TBN257	SW-1529	66.49

90 HIGH STRENGTH ADHESIVE

- Creates a high strength fast tack bond
- Adheres to particle board, polyethylene, polypropylene, rubber, MDF, laminates, metal, and many other materials
- Fast contact strength, yet needs only 1 to 2 minutes of drying time
- Excellent moisture resistance
- Format: 24 oz.
- Net Content: 17.6 oz
- Container Type: Aerosol Can
- Colour: Clear
- Temperature Resist. °F: 160
- Coverage Sq. Ft.: 100
- Product Type: Spray Adhesive



Model No.	MFG No.	Promo Price
PA001	90-24OZ-IND	29.40

LU202 MOLY CHAIN LUBRICANT

- Foaming action penetrates close tolerances of chain drive bushings and pins
- Specially formulated for all chain drive equipment
- Reduces wear, increases chain life up to three times when applied regularly
- Moly additive assures lubrication under extreme pressure
- Effective from -20°F to 300°F
- USDA H-2 rated, NSF Certified
- Format: 16 oz.
- Net Fill: 11 oz.
- Container Type: Aerosol Can



Model No.	MFG No.	Promo Price
AA106	SC0202000	11.90

HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

- An aqueous cleaner that removes heavy deposits of grease, oil and dirt
- Biodegradable, concentrated, non-abrasive and non-flammable
- Use caution on soft metals and painted surfaces
- NSF Registered C1
- Format: 946 ml
- Container Type: Bottle



Model No.	MFG No.	Promo Price
AF112	74415	18.80

QUICKSTIX™ THREAD SEALANT 561 PST™


- Immediate low pressure sealing to 100 psi
- Protects threads from rust and corrosion
- Exceptional fluid compatibility and chemical resistance
- Will not contaminate or clog lines
- Colour: White
- No mess, portable stick
- Net Volume: 19 g
- Container Type: Stick
- Temperature Range: -53.88° C - 150° C / -65° F - 300° F



Model No.	MFG No.	Promo Price
AB652	463973	19.70

5075™ INSULATING AND SEALING WRAPS

- Non-sticky, self fusing, multipurpose wrap
- Withstand extreme conditions: -65°F to 500°F
- Tensile strength up to 700 PSI and dielectric strength up to 400 VPM
- UV, saltwater, fuel and acid resistant
- Colour: Black
- Width: 1"
- Length: 10'



Model No.	MFG No.	Promo Price
AF072	1540599	16.90

SILVER GRADE ANTI-SEIZE

- Heavy-duty, temperature resistant, petroleum-based lubricant
- Fortified with graphite and metallic flake
- Inert, will not evaporate or harden in extreme cold or heat
- For use in assemblies up to 1600°F (871°C)
- Format: 291 g
- Container Type: Brush Top Can



Model No.	MFG No.	Promo Price
AC347	199012	24.75

ORANGE HAND CLEANER



- High quality pump included with every bottle for controlled dispensing
 - Fresh, natural orange citrus scent
- Quick and easy removal of dirt, grease, paint, ink, epoxy, tar, rust and most industrial soils
- Can conveniently be used with or without water
 - Accepted for use in Canadian food processing facilities
 - 4 L jug
 - Type: Cream



Model No.	Promo Price
JL018	19.95

FLAGGED PUSH BROOM HEAD

- Ideal for sweeping fine particles of dirt on smooth indoor surfaces
- Flagged bristles are ideal for use in areas that are affected by detergents and most acids
- Dual acme threaded wood block
- Block pre-drilled for broom brace
- Block Length: 24"
- Bristle Material: PVC
- Sweep Action: Fine
- Block Material: Wood
- Bristle Colour: Blue
- Bristle Length: 3-1/4"



Model No.	MFG No.	Promo Price
JM929	PB-BT24	19.47
HANDLE, 60" WITH METAL THREAD		
JL010	FH-W360MT	5.54

WOOD BLOCK CLEANING BRUSH

- Ideal for fine dust particles
 - Type: Counter
- Bristle Material: Animal Hair
 - Overall Length: 12-3/4"
 - Colour: Black



Model No.	MFG No.	Promo Price
JM708	BBC-206M	8.15

LARGE WASTE CONTAINER

- Made of durable polyethylene that will not rust, chip or dent
- Nestable
- Handle grips allow for easy & comfortable gripping & lifting
- Lid sold separately
- Capacity: 44 US gal.
- Overall Width: 27.60"
- Diameter: 24"
- Height: 31.50"

JK676



JK677

JK678



Model No.	Description	Colour	Promo Price
JK676	Container	Grey	61.00
JK677	Dolly	Black	39.95
JK678	Lid	Grey	15.92

WYPALL® WATERLESS CLEANING WIPES

- Natural solvents cut through grease, grime and oil while soothing ingredients aid in moisturizing the skin
- Pre-saturated cleaner for on-the-go cleaning of hands, tools, parts and non-porous work surfaces
 - No. of Wipes: 50
 - Length: 12"
 - Width: 10-1/2"
- Container Type: Canister



Model No.	MFG No.	Promo Price
JC673	58310	10.98

WYPALL® X60 WIPERS

- Robust enough for tough jobs, yet gentle enough for bare skin
- Type: All-Purpose
- 16-4/5" L x 8-3/4" W
- Qty/Box: 126



Model No.	MFG No.	Promo Price
NI331	34790	12.99/Box



GRAIN & COAL SCOOP SHOVEL

- Top-of-the-line industrial grade tools designed for intense and continuous use
 - Blade Size: 17-3/8" x 12"
- Blade Material: Tempered Steel
 - Handle Material: Wood
 - Handle Type: D-Grip
 - Handle Length: 27-3/4"



Model No.	MFG No.	Promo Price
ND122	GSG06D	52.95

TRUE TEMPER™ PRO™ HEAVY-DUTY WHEELBARROW

- Hardwood handles
- Heavy gauge seamless steel tray
- 16" pneumatic tire
- Load Capacity: 600 lbs.
- Colour: Red



Model No.	MFG No.	Promo Price
NE100	TIFS600	269.00

MULTI-USE BACK PACK SPRAYER

- Powered by 18V, 2.0 Ah lithium-ion battery (included)
- Various nozzles provide a wide range of liquid application
- Includes: Backpack sprayer, Brass adjustable nozzle, Low volume fan nozzle, High volume fan nozzle, Max volume fan nozzle, Jet stream nozzle, Foaming spot treatment nozzle, Sanitization optimizer kit (4" SMII Poly detail wand, #4 Green conejet conical fine misting nozzle, #3 Yellow conejet conical fine misting nozzle, Viton flat nozzle seal, Cap nut)
- Up to 4 hours of spray duration on a single charge or 50 gallons of liquid
- 3.5 hour charger included
- Pre-set spraying pressure at 40 PSI, 0.3 GPM for typical landscape applications (with 8002 nozzle)
- Frame Material: Powder-Coated Steel
- Tank Capacity: 4 gal. (15.1 L)



WITH
SANITIZATION
OPTIMIZER
KIT



Model No.	MFG No.	Promo Price
NO631	190676	349.00

PISTOL GRIP NOZZLES

- Continuous-spray stainless steel clip
- Rear-Trigger
- Threaded for accessories



NM814



NM815



NM816



NO590



NM817

Model No.	Max. Pressure PSI	Water	Insulated	Body Material	Promo Price
-----------	-------------------	-------	-----------	---------------	-------------

VINYL MOLDED COMFORT GRIP

NM814	100	Cold	No	Zinc & Vinyl	8.15
-------	-----	------	----	--------------	------

HEAVY-DUTY CONSTRUCTION & COMPONENTS

NM815	100	Warm & Cold	Yes	Zinc & ABS	6.15
-------	-----	-------------	-----	------------	------

NM816	100	Warm & Cold	Yes	Zinc & TPR	5.50
-------	-----	-------------	-----	------------	------

NO590	60	Warm & Cold	No	Zinc	5.80
-------	----	-------------	----	------	------

ERGONOMIC GRIP FOR LONGER USE

NM817	100	Hot & Cold	Yes	Zinc & TPR	8.35
-------	-----	------------	-----	------------	------

WEATHERFLEX™ GARDEN HOSES

- Built tough for medium duty use in all temperatures
 - Solid brass couplings
 - Added reinforcement for kink resistance
 - Hose diameter: 5/8"
 - Material: Vinyl



NJ404



Model No.	MFG No.	Length'	Promo Price
NJ403	CSNWF58025	25	25.49
NJ404	CSNWF58050	50	39.99
NJ405	CSNWF58075	75	59.99

S100 PEST CONTROL COMPRESSION SPRAYER

- AISI-304 grade stainless steel tank with wide mouth opening built to withstand harsh chemicals along with rugged transport and use
- Stainless steel wand containing a no-drip valve stem with integrated filter
- Viton® seals, gaskets and check-valves through the pump and shut-off
- Pull button pressure release valve safely releases internal pressure prior to opening the tank
- Tank Capacity: 1 gal. (4.5 L)
- Tank Material: Stainless Steel
- Hose Length: 50"
- Wand Length: 12"



Model No.	MFG No.	Promo Price
NO288	190441	239.00



EA666

EA667



HEAVY-DUTY OSCILLATING FANS

- 3-speed, 1/3 HP
- All-metal construction
- Pedestal model features adjustable height and heavy-duty round base for added stability
- 9.8' SJT power cord
- Diameter: 30"



Model No.	Description	Motor Type	High	CFM Med	Low	Promo Price
EA666	Pedestal	Open	13200	7321	4758	730.00
EA667	Wall Mount	Fully Enclosed	13400	7805	5070	665.00

HIGH VELOCITY OSCILLATING WALL FAN

- Adjustable tilting fan head
- Sliding switch at front of base
- Can be used in oscillating or non-oscillating mode
 - Diameter: 20"
- No. of Speeds: 3
- Voltage: 120 V
 - HP: 1/5



Model No.	High	CFM Med	Low	Promo Price
EA660	4800	4500	4000	185.00

LIGHT INDUSTRIAL DIRECT-DRIVE SLIM DRUM FANS

- All-metal construction, painted black & chrome with aluminum blades
- 6' SJT power cord
- 5" casters and easy-moving handle
- Open motor type
- 360° vertical tilt angle
- Motor: 120 V/60 Hz

EA778



Model No.	Dia."	HP	No. of Speeds	High	CFM Med	Low	Promo Price
EA778	24	3/10	3	7770	6000	4500	235.00
EB114	30	1/3	2	9500	-	6700	365.00



20" HIGH VELOCITY PEDESTAL FAN

- 3-speed, 120 V/60 Hz, 1/5 HP motor
 - All-metal construction
- Chrome grill, black painted base
 - Head tilting capability of 360°
 - Adjustable height
- 6' SJT type power cord



Model No.	High	CFM Med	Low	Promo Price
EA289	5950	4550	3850	210.00

OUTDOOR OSCILLATING PEDESTAL FAN

- Enclosed/Waterproof motor type (IP44)
- Features adjustable height and heavy-duty round base for added stability
- 9.5' power cord with UL GFCI plug
- All-metal construction, chrome grill stand and base painted black
- HP: 1/7
- Base Diameter: 27"
- Watts: 220 W
- Diameter: 30"
- No. of Speeds: 3



Model No.	High	CFM Med	Low	Promo Price
EA779	7200	5470	3780	565.00

HEAVY-DUTY FIXED BELT DRIVE DRUM FAN

- Fully enclosed motor
- All-metal construction
 - 9' power cord
- Features 8" casters with easy moving handle
 - Motor: 120V/60 Hz
 - Watts: 900 W
 - Amps: 7.5 A



Model No.	Dia."	High	CFM Low	Promo Price
EA662	42	17900	7400	1165.00

Pricing in effect until October 7, 2022 or while quantities last. Taxes and freight extra. Issue #SDW222072NA

Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.