

SHOP ESSENTIALS PROMOTION!

HYDRAULIC PALLET TRUCKS

- Heavy-duty polyurethane tread bonded to cast iron core steering wheels and rollers provide superior performance
 - Fork width: 6-1/4"
 - Raised height: 7-3/4"
 - Lowered height: 3-1/4"
 - Capacity: 5500 lbs.
 - 1-year limited warranty



| Model No. | Fork Length" | Frame Width" | Promo Price |
|--------------|-----------------|-----------------|----------------|
| ML966 | 36 | 20-1/2 | 369.00 |
| ML967 | 42 | 20-1/2 | 369.00 |
| ML968 | 48 | 20-1/2 | 369.00 |
| ML969 | 36 | 27 | 369.00 |
| ML970 | 42 | 27 | 369.00 |
| MI 971 | 48 | 27 | 369.00 |


FAN FORCED CONTRACTOR HEATERS

- Built-in thermostat

ML970

- Safety high temperature limit
- Built-in handle/cord storage
- Permanently lubricated motor
- 6' heavy-duty cord
- Steel spiral fan brazed to metal sheath elements for maximum heat transfer
- Power Source: Electric
- Voltage: 240 V

EB100



DIRECT DRIVE REVERSIBLE **SCREWDRIVER**

- Air Consumption: 28 CFM
- Air Inlet: 1/4" NPTF
- Sound Level (dBA): 88
- Chuck Size: 1/4"
- Chuck Type: Keyless
- No Load RPM: 13000
- Handle Style: Pistol grip
- Operation: Trigger start
- Torque range: 216-312 in-lbs.
- Length: 5.6" (142 mm)

Model

UAG274

No.

- Air Hose Bore: 3/8"
- Vibration Level: <2.5 m/s²



HOTSPOTTER ALL-PURPOSE PROPANE TORCH KIT

- Works off the pressure of a propane tank, no regulator required
- Heavy-duty kit with durable cast iron and steel nozzle
 - 500000 BTU rating
 - Ideal for a wide variety of all-season maintenance/repair applications
 - Includes: 10' neoprene hose, striker and on/off valve

| Model | MFG | Promo |
|----------|--------|--------|
| No. | No. | Price |
| 312-4904 | WB-101 | 110.00 |

WESTERN

Pricing in effect until April 16, 2021 or while quantities last. Taxes and freight extra. Prices are subject to change, and may vary without prior notice. Issue #SDW221012NA

BROADCAST SPREADERS

- Steel tube frame construction with chrome plated hardware
- Heavy-duty nylon gear box increases product life span
- Setting control on handle for precise adjustments
- Includes: Raincover, screen
- Pneumatic Tire Size: 12" x 4"





| Model | Load | Coverage | Promo |
|-------|----------|----------------|--------|
| No. | Capacity | | Price |
| NN137 | 50 lbs. | 15,000 sq. ft. | 156.00 |
| NJ142 | 100 lbs. | 16,000 sq. ft. | 199.00 |

THERMAL GLOVE LINER

- Keep hands warm in cold environments
- Can be used on its own or as a glove liner
- Polyester offers resistance to water absorption, remaining lightweight even when wet
- Ambidextrous
- Size: Large



| Model | Promo |
|--------|-----------|
| No. | Price |
| SGH425 | 4.35/Pair |




ZENTH

GRAIN COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Provides superior warmth
- Superior abrasion resistance
- Excellent comfort and durability
- Resists oil and water well
- Full leather-tipped fingers and knuckle strap

| Model | | Promo |
|----------------|-----------|-----------|
| No. | Size | Price |
| STANDARI | D QUALITY | |
| SEI681* | Large | 5.30/Pair |
| PREMIUM | QUALITY | |
| SAO053 | Large | 7.05/Pair |
| SDL882 | X-Large | 7.55/Pair |
| SDL883 2 | 2X-Large | 8.05/Pair |





SNOW ROOF RAKE

- Ideal for removing any kind of debris from roofs
- Prevents roof damage by removing ice dams & heavy snow
- Shipped knocked down
- Lightweight handle extends to 16'
- Blade Material: Polypropylene
- Blade Width: 24-3/4"
- Blade Height: 6"
- Handle Length: 61"
- Handle Material: Aluminum
- Handle Type: Straight



| Model | Promo |
|-------|-------|
| No. | Price |
| NN009 | 39.99 |

GRAIN COWHIDE FITTERS COTTON FLEECE-LINED PATCH PALM GLOVES

- Superior abrasion resistance • Provides moderate warmth
- Excellent comfort and durability
- - · Resists oil and water well
 - Patch palm design • Rubberized safety cuff

 - Full leather-tipped fingers and knuckle strap







ANTI-SLIP ICE CLEATS

- Special non-slip studs offer excellent traction on ice and snow
- Non-slip flexible ice cleats
- Made from thermoplastic elastomer
- Flexible up to -40°C









ANTI-SLIP SPARK-PROOF ICE CLEATS

- Non-slip studs offer excellent traction on ice and snow
- Includes 10 durable brass spikes
- Made from thermoplastic elastomer
- Flexible up to -40°C
- Non-slip, heavy-duty, flexible rubber boot





| Model No. | Fits Shoe Size | Promo Price |
|--------------|-------------------|----------------|
| SGO246 | 5-8 | 21.99/Pair |
| SGO247 | 8-11 | 21.99/Pair |
| SGO248 | 11-13 | 21.99/Pair |
| | | |

HAND AND TOE WARMERS

- Fits easily inside your pockets, mitts, gloves, boots or shoes
- Up to 8 hours of heat
- Single use
- 2 per pack







Boot Not

Included

| Model No. | Description | Promo Price |
|--------------|--------------|----------------|
| SGU490 | Toe Warmers | 0.99/Pkg. |
| SGO961 | Hand Warmers | 0.75/Pkg. |

FLEECE BALACLAVA

- Can be used under hardhats
- Protects the head, face & neck from the harsh elements of winter
- · Versatile; can be worn as a balaclava, neck warmer or as a dust mask
- Machine wash & air dry
- One size fits all



| Model | Promo |
|--------|-------|
| No. | Price |
| SGJ655 | 5.25 |



| KNIT HATS WITH REFLECTIVE STRIP | E |
|---|-----|
| Silver reflective stripe woven into the hat Material: Acrylic One size fits all | |
| ZEN | TH° |

| Model No. | Colour | Promo Price |
|--------------|------------------------|----------------|
| SGI135 | High Visibility Orange | 6.35 |
| SGJ105 | Black | 5.99 |
| | | |



SGO961

HARD HAT LINERS

- 100% polyester knit
- Single wash, FR-treated
 - One size





| Model No. | MFG No. | Style | Promo Price |
|--------------|------------|-----------|----------------|
| SEE076 | 16810 | Half-Cap | 7.19 |
| SEE077 | 16815 | Full Face | 11.95 |

PIPE WRENCHES

- Drop-forged alloy steel jaws
- Durable ductile steel body provides the ultimate in performance

Precision-milled sure gripping teeth

Spring action ensures sure grip and quick release



| Model No. | Length" | Pipe Capacity" | Promo Price |
|--------------|---------|-------------------|----------------|
| TJZ106 | 8 | 1 | 9.25 |
| TJZ107 | 10 | 1-1/2 | 12.25 |
| TJZ108 | 12 | 2 | 15.25 |
| TJZ109 | 14 | 2 | 18.25 |
| TJZ110 | 18 | 2-1/2 | 23.25 |

ADJUSTABLE WRENCHES

- Superior grade chrome vanadium steel
- Precision-machined jaws
- Slim profile head slips into cramped quarters
- Tight tolerances ensure close fitting, wobble-free action
- Smooth, non-sticking mechanism
- Black nickel finish resists rust
- Meets ANSI standards
- Handle Type: Cushion



aurora tools°

| Model No. | Jaw Type | Max. Jaw Width" | Length" | Promo Price |
|--------------|-------------|--------------------|---------|----------------|
| TJZ100 | Standard | 1 | 6 | 10.50 |
| TJZ101 | Reversible | 1-1/4 | 8 | 14.95 |
| TJZ102 | Reversible | 1-3/8 | 10 | 19.89 |
| TJZ103 | Reversible | 1-5/8 | 12 | 26.25 |

FILE CARD AND BRUSH CLEANER

- File card/brush especially for use on finer cut files
 - Length: 10"
 - Handle: Wood

auroratools°

7-PC. MACHINIST FILE SET

- General purpose file kit for machine shop
- Roll-up holder protects files
- Includes:

10"/250 mm flat bastard file
10"/250 mm flat smooth file
10"/250 mm half-round bastard file
10"/250 mm mill bastard file
10"/250 mm round bastard file
10"/250 mm square bastard file
7"/175 mm slim taper file





| Model | MFG | Prix |
|--------|---------|-------|
| No. | No. | promo |
| TBG943 | 22024NN | 99.00 |

CRESCENT NICHOLSON



| Model | MFG | Promo |
|-------|-------|-------|
| No. | No. | Price |
| YA162 | 21467 | 25.95 |

BI-METAL HACKSAW BLADES

- Molybdenum alloy tool steel edge
- Tough and flexible high carbon steel backing
- Lasts twice as long as high-speed steel
- Lasts up to ten times longer than carbon steel
- Two blades per card
- Length: 12" (300 mm)
- Width: 1/2"
- Thickness: 0.025"
- Material: Bi-Metal
- Package Type: Carded
- (TCRESCENT NICHOLSON



| Model No. | MFG No. | TPI | Promo Price |
|--------------|------------|-----|----------------|
| TBH242 | 62826N | 18 | 4.79/Card |
| TBH244 | 62832N | 24 | 4.79/Card |
| TBH246 | 62839N | 32 | 4.59/Card |

HACKSAW FRAME

- Adjustable crank handle for tension up to 30000 PSI
- Blade can be positioned for 45° or 90° cutting
- Spare blades can be stored inside frame
- End of frame can be used as a jab saw





| Model | MFG | Prix |
|-------|-------|-------|
| No. | No. | promo |
| TJ557 | 80956 | 29.95 |

10-PC. INSULATED TOOL SET

- Voltage Rating: 1000 V
- Meets the VDE insulated quality standard
- Included:

Slotted Screwdriver 7/32" x 5"

Slotted Screwdriver 5/32" x 4"

Slotted Screwdriver 3/32" x 3"

Phillips® Screwdriver #1 x 3-1/8"

Phillips® Screwdriver #2 x 4"

Pozidriv® Screwdriver #1 x 3-1/8"

Pozidriv® Screwdriver #2 x 4"

Lineman Plier, 6"

Long Nose Plier, 6" Side Cutting Pliers, 6" auroratools*



| Model No. | Promo Price |
|--------------|----------------|
| TYP305 | 88.00 |

29-PC. 1/2" DRIVE S.A.E./METRIC SOCKET SET





IMPACTECH® DRIVER BIT SET

- Made from S2 modified shock resistant steel for professional performance and durability
- Patented spiral torsion zone absorbs impact and extends bit life
- Proprietary precision CNC machined tips for excellent fit in fastener recess
- Tested to perform highly in lifecycle and tip failure testing
- Includes:

Phillips bits: (1) #1 x 1", (6) #2 x 1", (1) #3 x 1", (1) #1 x 2", (5) #2 x 2", (1) #3 x 2"

Square bits: (1) #1 x 1", (3) #2 x 1", (1) #3 x 1", (2) #2 x 2"

Hex bits: 5/32" x 1", 3/16" x 1", 7/32" x 1", 1/4" x 1"

Slotted bits: 4-5 x 1", 6-8 x 1", 8-10 x 1" Torx® bits: 20 x 1", 25 x 1", 27 x 1", 30 x 1"

3" magnetic bit holder

• Drive Size: 1/4" Hex

• No. of Pieces: 34



| Model | MFG | Promo |
|--------|---------|-------|
| No. | No. | Price |
| UAI334 | P34-1DB | 24.99 |

BALL PEIN HAMMERS

- High-quality hickory handle
- Forged, new treated head
- Head secured with wood and steel wedges



| Model No. | Head Weight | Overall Length" | Promo Price |
|--------------|----------------|--------------------|----------------|
| TV681 | 8 oz. | 12 | 20.19 |
| TV682 | 12 oz. | 12 | 20.99 |
| TV683 | 16 oz. | 14 | 23.79 |
| TV684 | 24 oz. | 16 | 27.59 |
| TV685 | 32 oz. | 16 | 31.69 |

PROFESSIONAL CLAMPS

• Heavy-Duty

NEGA

 Bessey[®] Morpad[™] allows for greater angle of pivot Rail and fixed top jaw are heat treated and tempered

• High quality construction insures long life

• Clamping Force: 4880 lbs.

• Throat Depth: 7"



| Model No. | MFG No. | Clamping Capacity | Promo Price |
|---------------|------------|----------------------|----------------|
| TN047 | 4800S-12 | 12" (304.8 mm) | 359.00 |
| THZ886 | 4800S-18 | 18" (457.2 mm) | 389.00 |
| TKZ901 | 4800S-24 | 24" (609.6 mm) | 419.00 |

HEAVY-DUTY AIR COMPOSITE IMPACT WRENCH

- Lightweight composite design minimizes operator fatigue
- Ergonomic grip reduces vibration
- Exhaust air outlet directs air away from operator
- Forward-reverse switch and high-low speed regulator
- Free speed: 10000 RPM
- Hose diameter: 3/8" (9.5 mm)
- Air Consumption: 10.6 CFM
- Air inlet: 1/4" 18 NPT
- Drive: 3/8"
- Torque Range: 90-280 ft-lbs.





| Model | Promo |
|--------|--------|
| No. | Price |
| TLZ137 | 239.00 |

COMPACT BLOW GUN

- Flow stabilizer valve for precise air control
- Contoured design to fit comfortably into the user's hand
- Chrome plated, lightweight zinc body
- Cushioned thumb lever
- The hook design enables the gun to be stored conveniently by hanging on almost anything up to 1" diameter
- Industrial and automotive applications
- Air Inlet: 1/4" NPT
- Air Consumption: 9 SCFM
- Maximum Working Pressure: 150 PSI
- Tip: Rubber Tip
- Air Consumption: 150 PSI



TOPRING

| Model | MFG | Promo |
|-------|---------|-------|
| No. | No. | Price |
| TA819 | 60.110C | 19.99 |

HOSE REELS

- For use with air and water
- Multi-position guide arm for multiple mounting options
- Kinkless, oil resistant high quality hose
- 300 maximum PSI
- Inner Hose Diameter: 3/8"
- Reel Outlet: 1/4" NPTM



auroratools°

| Model No. | Hose Length' | Promo Price |
|--------------|-----------------|----------------|
| TLZ483 | 25 | 169.00 |
| TLZ484 | 35 | 199.00 |
| TLZ485 | 50 | 269.00 |

BELT SANDER

- Ideal for detail work (shaping and finishing)
- Low maintenance motor
- Easy belt changes
- Air Consumption: 16 CFM
- Air Inlet: 1/4" NPTF
- Sound Level (dBA): 85
- Belt Size: 13" 3/8"
- No Load RPM: 16500
- Power: 0.5 HP
- Wattage: 373
- Air Consumption At Free Speed L/s: 6.8
- Hose I.D.: 3/8"



| Model | Promo |
|--------|--------|
| No. | Price |
| UAG275 | 179.00 |

MODULAR FILTERS, REGULATORS & LUBRICATORS (GAUGE INCLUDED)

- Components are attached in series using spacers and piping adapters, which make the individual
 components easily removable and mountable without disturbing the pipe line
- Comes complete with wall mounting bracket
- Air filter, regulator and lubricator come with NPT threads and gauge
- Operating Pressure: 7-145 PSI

| Model No. | Connection Size | Max Air Flow | Bowl Capacity | Filter Bowl Capaticity | Promo Price |
|---------------|--------------------|---------------------|------------------|---------------------------|----------------|
| POLYCARB | ONATE BOWL W | TH STEEL BOWL GUARD | | | |
| TYY181 | 1/4" NPT | 18 SCFM @ 105 PSI | 0.68 fl. oz | 0.30 oz | 99.95 |
| TYY182 | 3/8" NPT | 71 SCFM @ 105 PSI | 1.93 fl. oz | 1.08 oz | 135.00 |
| TYY183 | 1/2" NPT | 123 SCFM @ 105 PSI | 5.17 fl. oz | 1.50 oz | 189.00 |
| METAL BOY | WL | | | | |
| TYY184 | 3/4" NPT | 123 SCFM @ 105 PSI | 6.8 fl. oz | 5.60 oz | 365.00 |
| TYY185 | 1" NPT | 175 SCFM @ 105 PSI | 6.8 fl. oz | 5.60 oz | 359.00 |
| | | | | | |



1-5/8" ELECTROMAGNETIC DRILL KIT

- Optimized cutting & drilling speeds
- Magnetic deadlift (1") 1800 lbs. Auto-Stop function
- Carrying Handle
- Auto-stop lift-off detection
- Includes: 1-5/8" Electromagnetic Drill, Lubrication Spray Bottle, 1/2" Chuck Adapter, Chuck Key, (2) 1" Retractable Pilot Pins, Safety Strap & Carrying Case
- Drill Capacity: 1-1/2"/1-5/8"
- Amps: 13 A
- Voltage: 120 V No Load RPM: 475/730
- Drill Point Pressure: 600 lbs.
- Drill Travel: 5-3/4"
- Stoke Length: 5-3/4"



| | Milwaukee |
|---|-------------|
| ĺ | 11111111111 |

| Model | MFG | Promo |
|--------|---------|---------|
| No. | No. | Price |
| TYP028 | 4272-21 | 1469.00 |

THREAD STEEL HAWG CARBIDE TIPPED **CUTTERS - 2" CUTTING DEPTH**

- Carbide-tipped multiple alternating inside and outside cutting edges
- For steel, cast iron or aluminum
- 3 times faster than twist drills in steel, stainless or non-ferrous metals



| Model No. | MFG No. | Cut Diameter" | Promo Price |
|--------------|------------|------------------|----------------|
| VH101 | 49-57-0750 | 3/4 | 115.00 |
| VH106 | 49-57-0812 | 13/16 | 125.00 |
| VH110 | 49-57-0875 | 7/8 | 135.00 |
| VH119 | 49-57-1000 | 1 | 155.00 |

ilwaukee

TRUE BLUE® TORPEDO LEVEL

- True Blue® vials are accurate to within 0.0005" per inch in all working positions
- 3 vials read plumb, level and 45°
- Full length magnetic edge
- Length: 9"
- Material: Aluminum





| Model | MFG | Promo |
|--------|--------|-------|
| No. | No. | Price |
| TYO641 | EM81.9 | 15.59 |

3/4" IMPACT WRENCH

- Rocker switch for quick selection of forward and reverse
- Friction ring socket retention
- Light weight with balanced feel and cushioned grip
- Torque: 380 ft-lbs
- No Load RPM: 1750
- Voltage: 120 V
- Amps: 7 A
- No load IPM: 2500



| Model | MFG | Promo |
|--------|---------|--------|
| No. | No. | Price |
| TEA202 | 9075-20 | 429.00 |

4-1/2" ANGLE GRINDER

- 7 A, 11 000 RPM
- 5/8"-11 spindle thread
- Multi-port exhaust extends motor life
- Includes: Type 27 guard and spanner wrench



| Model | MFG | Promo |
|--------|---------|-------|
| No. | No. | Price |
| TLV064 | 6130-33 | 89.00 |

I-BEAM LEVEL

- Lightweight and durable
- 0.0005"/in accuracy in all working positions
- Impact resistant acrylic mono vials offer superior durability
- Length: 24"
- Material: Aluminum
- No. of Vials: 3
- Non-Magnetic





| Model | MFG | Promo |
|--------|--------|-------|
| No. | No. | Price |
| UAF102 | 500.24 | 19.99 |

LONG LIFE C-TRIM FLAP DISCS

- For edge grinding and weld seam finishing on steel and stainless steel
- Long life technology for maximum lifetime
- Easy trim plastic backing allows the complete disc to be utilized
- Compressed edge ensures stability during edge grinding and provides a "built-in grinding angle"
- Diameter: 4-1/2"
- Arbor Size: 5/8"-11
- Abrasive Material: Zirconia Alumina
- Type: 27



| Model No. | MFG No. | Grit | Promo Price |
|--------------|------------|------|----------------|
| TCT359 | 34464900 | 40 | 5.99 |
| TCT360 | 34464921 | 60 | 5.99 |
| TCT361 | 34464922 | 80 | 5.99 |
| TCT362 | 34464923 | 120 | 5.99 |

CERABOND CUTTING DISCS

• Works especially well with stainless steel

• High-performance ceramic cutting disc

Thickness: 0,045"

Arbor Taille: 7/8"

• Type: 1



| Model No. | MFG No. | Dia." | Max. RPM | Promo Price |
|--------------|------------|-------|-------------|----------------|
| NV293 | 34256272 | 4-1/2 | 13200 | 3.29 |
| NV294 | 34256273 | 5 | 12250 | 3.59 |
| NV295 | 34256274 | 6 | 10200 | 5.19 |

SAWZALL® DEMOLITION BLADE SET

- Assortment of popular demolition blades for a broad range of professional applications
- No. of Pieces: 12



| Model | MFG | Promo |
|--------|------------|-------|
| No. | No. | Price |
| TYF991 | 49-22-3329 | 39.95 |

HAND PADS

 Designed for light-duty cleaning, polishing, scuffing, finishing and for heavy-duty paint, rust and corrosion removal

 May be used with water or chemical solvents

• 6" x 9"



NU022

auroratools°

NU023

| · · · · · · · · · · · · · · · · · · · | Model No. | Description | Finish | Qty /Box | Promo Price |
|--|--------------|------------------------|------------|-------------|----------------|
| | NU022 | Tan Heavy-Duty | Coarse | 10 | 1.32/Pad |
| NU023 Green Industrial Scouring 20 0.69/ | NU023 | Green Industrial | Scouring | 20 | 0.69/Pad |
| NU024 Maroon General Purpose Medium 20 0.69/ | NU024 | Maroon General Purpose | Medium | 20 | 0.69/Pad |
| NU025 Grey Ultra Fine Ultra-Fine 20 0.79/ | NU025 | Grey Ultra Fine | Ultra-Fine | 20 | 0.79/Pad |

ECONOMY KNOT WIRE END BRUSHES

osborn

0.014

- An economic alternative to the high-value Osborn® brand
- Geared toward light industrial and DIY users
- Brush Diameter: 1"
- Shank Size: 1/4"

Model

NU113

NU111

NU112

NU114

No.

Max. RPM: 20 000





Stainless Steel

16.09

JOBBER LENGTH DRILL SET

0009910300

- Industrial duty
- Right hand 135° split point eliminates walking

• General purpose used on steels, cast iron and most non-ferrous metals

• Machine and portable drilling applications

 Two-tone black oxide and bronze finish provides ideal chip flow and resistance to abrasion

Steel case

• No. of Pieces: 15

Material: High Speed Steel

Type: Fractional Sets

• Sizes": 1/16" to 1/2" by 32nds





D3 CITRUS DEGREASER

- Natural citrus degreaser attacks oil, grime, grease, tar and other oil based contaminants on hard surface
- Works on contact and leaves little or no residue
- Non chlorinated
- Format: 15 fl. oz.
- Container Type: Aerosol Can
- Sold per case of 12





HYDROFORCE® INDUSTRIAL STRENGTH DEGREASER

- An aqueous cleaner that removes heavy deposits of grease, oil and dirt
- Biodegradable, concentrated, non-abrasive and non-flammable
- Use caution on soft metals and painted surfaces
- Format: 32 oz.
- Container Type: Bottle





| Model | MFG | Promo |
|-------|-------|----------|
| No. | No. | Price |
| JN557 | SW286 | 9.08/Can |

| Model | MFG | Promo |
|-------|-------|-------|
| No. | No. | Price |
| AF112 | 74415 | 15.49 |

MP METAL PARTS PROTECTOR

- Seals Metal Parts Against Corrosion and Rust
- Non-Tacky
- Effective from -40°F to +175°F
- Easily Removed with Safety Solvent
- Highly Resistant to Salt Spray and Harsh Weather
- Non-Chlorinated, ozone safe
- Format: 14 fl. oz.
- Container Type: Aerosol Can
- Sold per case of 12





LU204 DRY FILM GRAPHITE LUBRICANT

- Ideal where a dry lubricant is or where petroleum products must be avoided
- Adheres with minimum pre-treatment
- Effective up to 850°F constant and 1000°F intermittent
- Dries rapidly at room temperature
- Container Type: Aerosol Can
- Format: 16 oz.





| Model | MFG | Promo |
|-------|-------|----------|
| No. | No. | Price |
| JN568 | SW478 | 9.92/Can |

| Model | MFG | Promo |
|-------|-----------|-------|
| No. | No. | Price |
| AA107 | SC0204000 | 9.49 |

PLASTIC CLEANER

- Formulated for use on many surfaces including acrylics, Plexiglas, glass, polycarbonates, chrome, Formica, porcelain, fiberglass, and marble
- Reduces glare, repels finger smudges, dirt and dust
- Anti-static, anti-fog, fast-drying, non-streaking
- Contains no chemicals or abrasives that will cause damage to any transparent surface
- Format: 19 fl. oz.
- Container Type: Aerosol Can
- Sold per case of 12





Sprayway

| Model | MFG | Promo |
|-------|-------|----------|
| No. | No. | Price |
| JN579 | SW848 | 5.55/Can |

SUPER 77 AEROSOL ADHESIVE SPRAY

- · For permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt, and cloth to painted or unpainted metals, wood and hardboard
- Format: 24 oz.
- Temperature Resist: 110°F
- Net Volume: 16.5 oz.
- Coverage: 163 sq. ft.





| Model | MFG | Promo |
|-------|-------------|-------|
| No. | No. | Price |
| PA003 | 77-24OZ-IND | 14.55 |

FLINT LIGHTERS

• Choice of single or tri-flint lighters



| Model No. | Description | Promo Price |
|--------------|----------------------|----------------|
| NT642 | Single Flint Lighter | 2.29 |
| NT663 | Flints, 5 per Holder | 1.59 |
| TTU071 | Tri-Flint Lighter | 3.19 |
| TTU072 | Flints - Each | 0.79 |

CHIPPING HAMMER • Cone and chisel head

Spring steel handle

• Handle Type: Solid Steel Overall Length: 10-1/2"

• Head Length: 6-1/4"



SOAPSTONES & HOLDERS

- All-metal construction holders
- Positive lock adjustment
- Each holder comes with one soapstone
- 144 white soapstones per box



| Model No. | Description | Promo Price |
|--------------|------------------------------|----------------|
| NT639 | Flat Soapstone Holder | 2.79/Ea. |
| NT225 | Flat Soapstone - 144 Pieces | 24.75/Box |
| NT638 | Round Soapstone Holder | 2.95/Ea. |
| NT226 | Round Soapstone - 144 Pieces | 22.75/Box |

SHOE HANDLE INDUSTRIAL-DUTY **SCRATCH BRUSHES**

Wood handle




| Model No. | Bristles | Rows | Promo Price |
|--------------|-----------------|--------|----------------|
| NT609 | Carbon Steel | 3 x 16 | 2.29 |
| NT610 | Carbon Steel | 4 x 16 | 2.49 |
| NT613 | Stainless Steel | 3 x 16 | 4.29 |
| NT614 | Stainless Steel | 4 x 16 | 4.59 |

MULTI-PURPOSE MIG PLIERS

• Ideally suited for removal of hot spatter from nozzle ends, as well as many other uses


Nickel-plated finish



| Model No. | Description | Promo Price |
|--------------|------------------------|----------------|
| NP537 | 8-way pliers | 9.95 |
| TYX128 | Premium welding pliers | 15.75 |
| NT666 | Holster Only | 3.85 |

MAGNETIC HOLDERS

- Multi-purpose holders for assembly and positioning
- Adheres to any metal object







| Model No. | Description | | Di | mensio | ns" | | Promo Price |
|--------------|-------------|-------|----|--------|-----|-----|----------------|
| NT626 | Medium | 5 | х | 3-1/4 | х | 1/2 | 2.75 |
| NT627 | Large | 6-1/4 | х | 4 | х | 3/4 | 4.75 |
| NT628 | X-Large | 8 | х | 5 | х | 1 | 6.75 |
| | | | | | | | |

WELDING SCREEN AND FRAMES

FRAMES

- Innovative COMBO frame combines high durability with extreme versatility
- Made with heavy-duty finished steel tubing and connects with spring-pins
- Assembles in less than five minutes, no tools required

LAVASHIELDTM CURTAINS

- Grommets every 12" interval
- Panels: 1
- Colour: Olive
- Transparency: Opaque
- UV Resistance: Maximum
- Screen Material: 12 oz. cotton duck canvas





WL942 WET WELD SPATTER PROTECTANT

- Keeps welding tips and nozzles clean
- Prevents weld spatter from adhering
 - Non-greasy
 - Effective for all types of welding, especially MIG and TIG tips
 - Container Type: Aerosol
- Net Volume: 12 oz Container Size: 15.5 oz

| Model | MFG | Promo |
|-------|-----------|-------|
| No. | No. | Price |
| AA875 | SC0942000 | 7.99 |

TUNGSTEN ELECTRODES

- 7" standard length
- Sold per package of 10

2% THORIATED

· Generally ground to a point, used on DCEN

2% CERIATED

- Operate successfully with AC or DC current
- Non-radioactive

• 2% LANTHANATED

- Good arc starts and stability, low erosion rate, medium to high current range
- Non-radioactive

| NP54 | 4 |
|------|---|

| Model No. | MFG No. | Diameter" | Colour | Promo Price | |
|------------------------|--------------|-----------|--------|----------------|--|
| 2% THORIA | ATED, EWTH-2 | | | | |
| NP544 | T1167GT2 | 1/16 | Red | 14.25/Pkg. | |
| NP545 | T3327GT2 | 3/32 | Red | 32.50/Pkg. | |
| NP543 | T187GT2 | 1/8 | Red | 60.75/Pkg. | |
| 2% CERIAT | ED, EWCE-2 | | | | |
| NP549 | T1167GC2 | 1/16 | Grey | 13.75/Pkg. | |
| NP550 | T3327GC2 | 3/32 | Grey | 31.60/Pkg. | |
| NP551 | T187GC2 | 1/8 | Grey | 58.50/Pkg. | |
| 2% LANTHANATED, EWLA-2 | | | | | |
| TTV119 | T1167GL2 | 1/16 | Blue | 14.50/Pkg. | |
| TTV120 | T3327GL2 | 3/32 | Blue | 32.50/Pkg. | |

ER70S6 CARBON STEEL WELDING WIRE

- Highest combination of manganese and silicone deoxidizers
- Permits high current welding with CO₂ gas shielding
- Can also be applied with ArCO₂
- Good for out-of-position welding using short circuiting transfer
- Layer/level wound wire
 - Certified by CWB to CSA class W48 for ER49S-6
 - Certified by AWS to class A5.18 for ER70S6





| Model No. | Wire Diameter" | Spool Wt. | Spools per Master Box | Promo Price |
|--------------|-------------------|---------------|--------------------------|----------------|
| NT549 | 0.023 | 2 lbs./0.9 kg | 18 | 5.99/Spool |
| NT550 | 0.030 | 2 lbs./0.9 kg | 18 | 3.99/Spool |
| NT551 | 0.035 | 2 lbs./0.9 kg | 18 | 3.99/Spool |
| NT552 | 0.045 | 2 lbs./0.9 kg | 18 | 3.85/Spool |
| NT553 | 0.023 | 11 lbs./5 kg | 4 | 26.99/Spool |
| NT554 | 0.030 | 11 lbs./5 kg | 4 | 15.99/Spool |
| NT555 | 0.035 | 11 lbs./5 kg | 4 | 15.99/Spool |
| NT556 | 0.023 | 33 lbs./15 kg | 1 | 71.99/Spool |
| NT557 | 0.030 | 33 lbs./15 kg | 1 | 41.99/Spool |
| NT560 | 0.035 | 44 lbs./20 kg | 1 | 59.90/Spool |
| NT561 | 0.045 | 44 lbs./20 kg | 1 | 56.90/Spool |

AIR CARBON ARC **GOUGING ELECTRODES**

- Consistent copper coating DCCC
- Used for gouging out defective welds and cutting non-ferrous metals • Length: 12"
 - Sold per package



| Model No. | Diameter" | Qty /Pkg. | Promo Price |
|--------------|-----------|--------------|----------------|
| NT632 | 5/32 | 100 | 22.50/Pkg. |
| NT633 | 3/16 | 50 | 13.50/Pkg. |
| NT634 | 1/4 | 50 | 17.50/Pkg. |
| NT635 | 5/16 | 50 | 21.50/Pkg. |
| NT636 | 3/8 | 50 | 31.50/Pkg. |
| NT637 | 1/2 | 50 | 58.50/Pkg. |

#1 CONTOUR® MARKER

- Curv-O-Mark® Contour® marker is a compact, time-saving tool used to lay out pipe and structural steel joints
- Laterals at any angle, tees, wyes, crosses, elbows
- Any type or size of joint can be quickly and precisely laid out
- Can be used to lay out pipe from 1-1/2" to 18" diameter, or structural steel members up to 18"
- Consists of an X-shaped frame, calibrated protractor, and a triple-jointed marking arm and holder

| Model | MFG | Promo |
|----------|-------|--------|
| No. | No. | Price |
| 430-2000 | 14771 | 175.00 |



CURV-O-MARK®

SPEEDGLAS™ 9100 WELDING HELMET & AUTO-DARKENING FILTER

• Battery Life: Up to 1800 hours

• Grab and go with auto-on

- Two memory modes that allow you to set individual settings for dark shade
 - Arc detection sensitivity is adjustable



| Model | MFG | Promo |
|--------|------------------|--------|
| No. | No. | Price |
| SGC239 | 06-0100-30ISW-CA | 599.00 |

WELDERS' BEANIE

• Breathable, flame resistant, 100% cotton fabric

· Added protection under welding helmet

• Black and white, 2-colour design

• One size fits all

Price

0.95



| WELD-WATE | |
|-----------|------|
| Model | Prom |
| No. | Pric |

OUTSIDE DOUBLE PALM & THUMB WELDER'S GLOVES

- Top split cowhide leather construction
- Excellent abrasion resistance
- Thermal cotton palm lining provides added heat protection
- Grade: Standard Quality
- Thumb Style: Wing

SAO129





| Model No. | Description | Size | Cut Pattern | Promo Price |
|------------------|------------------|------------------|----------------|------------------------|
| SAO128 SAP352 | Gloves Gloves | Large X-Large | Gunn Gunn | 6.19/Pair 6.39/Pair |
| SAO129 | One-Finger Mitt | Large | Clute | 6.25/Pair |

LAVA BROWN LEATHER WAIST APRON

SEE845

- Designed to allow even weight distribution on the user to reduce fatique
- Heat and flame-resistant leather is made from durable side split cowhide
- Electrical insulated snaps
- 24" long

SAO128







WELDERS' PIGSKIN TIG GLOVES

- · Standard grain pigskin leather construction
- Designed for precision welding applications
- Excellent fit and dexterity
- Exceptional durability
- Double thumb strap extends wear life
- 4" gauntlet cuff provides superior protection





| Model | | Promo |
|--------|---------|-----------|
| No. | Size | Price |
| SAN639 | Small | 7.39/Pair |
| SAN640 | Medium | 7.49/Pair |
| SAN641 | Large | 7.59/Pair |
| SAN642 | X-Large | 7.75/Pair |



- Designed to allow complete body movement and freedom
- Heat and flame resistant leather is made from durable side split cowhide
 - Double-lock stitched seams
- Roll-up collar stops shooting spatter
 - Includes: Full-sized pocket and multiple-snap adjustment cuffs



| Model No. | Size | Chest Measurements" | Promo Price |
|--------------|----------|------------------------|----------------|
| TTU398 | Medium | 40-42 | 139.00 |
| TTU399 | Large | 44-46 | 139.00 |
| TTU400 | X-Large | 48-50 | 139.00 |
| TTU401 | 2X-Large | 52-54 | 153.00 |
| TTU402 | 3X-Large | 56-58 | 165.00 |
| TTU403 | 5X-Large | 64-66 | 194.00 |

TTU398

ORANGE HAND CLEANER

• Fresh, natural orange citrus scent

Pumice scrubbing particles for extra deep cleaning

- Easy removal of dirt, grease, paint, ink and most industrial soils
- Conveniently used with or without water
- No harsh solvents
- Accepted for use in Canadian food processing facilities
- 3.6-L jug



| Model | Promo |
|-------|-------|
| No. | Price |
| JG223 | 15.95 |



WORKPLACE HAND **CLEANER TOWELS**

- Fast acting waterless hand cleaner
- Deep cleaning, non-scratching abrasives quickly remove grease and dirt
 - Leaves hands clean and residue free
 - No. of Wipes: 72
 - Container Type: Canister
 - Fragrance: Scented



| Model | MFG | Promo |
|-------|--------|-------|
| No. | No. | Price |
| AA841 | C09200 | 18.95 |

HAND TOWELS

- Made from 100% recycled fibres, with a minimum of 50% post-consumer material, and certified Green Seal® and Chlorine Free®
- Embossing enhances hand feel and maximizes absorbency; fewer towels are used per hand dry
- Ply: 2
- Roll Type: Centre Pull
- Roll Length: 550'
- Width: 7.3"
- Length: 550'
- Colour: White
- Dispenser Option: JC034
- Rolls/Case: 6
- Sheets/Roll: 600



| Model | MFG | Promo |
|-------|------|------------|
| No. | No. | Price |
| JC033 | H150 | 49.90/Case |

UNIVERSAL ROLL TOWEL DISPENSER

- Centre-pull towel dispenser
- Robust construction is durable and easy to clean

Cascades PRO

- See-through design allows for quick and easy service checks
- No cross-contamination from levers or cranks
- Width: 10.5"
- Depth: 10.5"
- Height: 13"

Select Colour: Grey Paper Option: JC033



| Model | MFG | Promo |
|-------|------|-------|
| No. | No. | Price |
| JC034 | DH09 | 39.00 |

GEL HAND SANITIZER

- Kills harmful germs & bacteria
- Enhanced with vitamin E and moisturizing solution
- Health Canada approved
- Made with best quality odourless food grade alcohol
- Alcohol Content: 70 %





| Model | MFG | Net | Promo |
|--------|---------------------|--------|-------|
| No. | No. | Volume | Price |
| JN647 | FLSANIH70GELFF500ML | 500 ml | 7.49 |
| JN648* | FLSANIH70GELFF3.78L | 3.78 l | 32.50 |
| JN648^ | FLSANIH/UGELFF3./8L | 3./8 L | 32.50 |

^{*} Pump sold separately



GOJO® HAND MEDIC® PROFESSIONAL SKIN CONDITIONER

- Use before work, after handwashing and at night to restore and maintain the skin's natural protective barrier
 - Silicone and fragrance-free

JD467



| Model No. | | | Promo Price |
|--------------|---------|---------------|----------------|
| JD467 | 8745-04 | 685 ml Refill | 23.90 |
| JD466 | 8782-06 | Dispenser | 10.79 |

RECYCLED MATERIAL FLEECE WIPING RAGS

- Disposable cloth wiping rags provide excellent absorbency, durability, versatility and low price
- Made from 100% recycled materials
- Packaged in waterproof compressed poly bags to save on transportation and storage

 Light to medium weight material ideal for absorption of inks, light oil, water, and more

 Ideal for medium industrial and manufacturing plants

Weight: 25 lbs.

Colours: Mix Colours



| Model | MFG | Promo |
|-------|-----------|-------|
| No. | No. | Price |
| JL234 | SXC-25C-S | 23.50 |

PHOSPHATE-FREE CLEANER & DEGREASER

- Biodegradable
- Accepted for use in Canadian food processing facilities
- Concentrated, heavy-duty, powerful, fast acting alkaline cleaner
 - Removes stains, grime, oil, soot and grease on contact
 - 4 L jug



| Model | Promo |
|-------|-------|
| No. | Price |
| JA148 | 16.85 |

ORIGINAL CLEANER & DEGREASER

- Cuts grease, grime, oil & wax fast
- Removes dried latex paint, tape residue, tree sap, chewing gum, soap scum, glues, adhesives, and stains
- Excellent tile and grout cleaner
- Biodegradable
- Format: 946 ml
- Container Type: Trigger Bottle



| Model | MFG | Promo |
|-------|--------|-------|
| No. | No. | Price |
| JL356 | 287785 | 10.47 |

TASKBRAND® E25 ECONOMY SERIES WIPERS

- 4-ply scrim substrate
- Nylon reinforced for added wet strength
- Superior wipe dry
- Low lint paper wiper
- Type: All-Purpose
- Length: 16-3/4"
- Width: 9-3/4"
- Qty/Box: 150 Colour: White





| Model | MFG | Promo |
|-------|-----------|-------|
| No. | No. | Price |
| JM631 | N-E025IDW | 12.74 |

THE MUST FOR RUST RUST REMOVER GEL

- Water-based formula penetrates horizontal metal surfaces, dissolves rust, and prevents future rusting
- Once completely dry, the surface is ready for the next step, whether it is painting, welding, plating, lubricating, or simply leaving the surface bare
- Will resist future rust formation for up to 12 months
- Biodegradable
- Format: 946 ml
- Container Type: Trigger Bottle



| Model | MFG | Promo |
|-------|--------|-------|
| No. | No. | Price |
| JL360 | 304612 | 12.95 |

WOOD BLOCK CLEANING BRUSH • Ideal for fine dust particles • Type: Counter • Bristle Material: Animal Hair • Overall Length: 12-3/4" Professional Colour: Black Model MFG Promo No. No. **Price** JM708 BBC-206M 7.65

RYNO PUSH BROOMS WITH BRACED HANDLE

- Comes complete with brace and heavy-duty handle fully assembled
- Assembled broom with a bolt-on, 1-1/8" thick wood handle and broom brace
- Ideal for warehouse floors
- Outer trim flagged PVC, inner trim soft PVC
- Sweep Action: Fine
- Bristle Colour: Blue



| Model No. | MFG No. | Block Length" | Promo Price |
|--------------|-------------|------------------|----------------|
| JM917 | PB-810-BT18 | 18 | 29.60 |
| JM918 | PB-810-BT24 | 24 | 34.00 |
| JN065 | PB-810-BT36 | 36 | 49.95 |

SCRUBBER PAD HOLDER

- Durable all plastic construction with extra VELCRO® pegs to secure pads
- Swivel handle socket allows for easy maneuverability in hard to reach places
- Scrubbing pads sold separately
- Universal handle design accepts any 15/16" handle (handles sold separately)
- Lenath: 9" Width: 3-3/4"





| Model | MFG | Promo |
|-------|---------|-------|
| No. | No. | Price |
| JM993 | WW-1749 | 8.97 |

ROUND BRUTE® CONTAINERS

• Extra strong polyethylene construction withstands bumps and kicks; will not rust, chip or peel

· Nest for easy storage and cleans easily due to seamless construction

Built-in handles, double ribbed base and molded base grip for two-handed lifting

Internal venting channels allow for easy removal of garbage bags

Capacity: 32 US gal.







NA704

NG251

CONTAINERS

| Model No. | MFG No. | Colour | Dia." | Height" | Promo Price |
|--------------|--------------|--------|-------|---------|----------------|
| NA698 | FG263200GRAY | Grey | 22 | 27-1/4 | 47.50 |
| NG251 | FG263200BLUE | Blue | 22 | 27-1/4 | 47.50 |

LIDS - GREY

| Model No. | MFG No. | Description | Promo Price |
|--------------|--------------|-------------|----------------|
| NA701 | FG263788GRAY | Dome Lid | 103.00 |
| NA694 | FG263100GRAY | Flat Lid | 17.25 |

DOLLY - BLACK

| Model No. | MFG No. | Capacity US Gallons | Dia." | Height" | Promo Price |
|--------------|------------|------------------------|-------|---------|----------------|
| NA704 | FG264000BI | LA 20 - 55 | 18 | 6-1/2 | 72.95 |

OCTOPUS MAINTENANCE PADS

- Full Cycle® products are certified by Green Seal® for environmental innovation based on faster biodegradation in landfill conditions and 100% recycled content/natural fiber
- Length: 10"
- Width: 4-1/2"
- Qty/Case: 4 Bags
- Qty/Bag: 5
- Certification(s): Green Seal®

americo

JM544

JM545

JM546

LIGHT-DUTY

- For light cleanups and delicate surfaces such as sinks, ceramic tile, swimming pools, and windows
- Non-abrasive polishing pad
- Ideal for a high gloss finish

MEDIUM-DUTY

- Designed for cleaning floors, baseboards, and corners
- Removes surface soil, including black heel marks
- Also ideal for general cleaning in kitchens
- Constructed of polyester fibers in an open textured, nonwoven pattern

HEAVY-DUTY

- · Ideal for heavy duty scrubbing and removing light finish and wax build-up
- Designed for aggressive cleaning of floors, baseboards, and corners
- Constructed of polyester fibers in an open textured, nonwoven pattern
- Abrasive particles are distributed throughout the pad and adhered to the nonwoven construction with a sturdy adhesive

| Model No. | MFG No. | Description | Colour | Promo Price |
|--------------|------------|-------------|--------|----------------|
| JM544 | 541012 | Light-Duty | White | 29.70/Case |
| JM545 | 541020 | Medium-Duty | Blue | 29.70/Case |
| JM546 | 541010 | Heavy-Duty | Brown | 29.70/Case |

INDUSTRIAL GARBAGE BAGS

- Excellent strength and puncture resistance eliminates the need for double bagging
- Excellent performance when compared to standard in the category
- RMP® garbage bags are certified UL Ecologo® by a well recognized Canadian third party certification body
- UL Ecologo® certified bags are less harmful for the environment
- Strength: Strong
- Type: Open Top
- Colour: Black
- Material: Recycled Material



| Model No. | Dim. L" x W" | Qty/ Pkg. | Thickness | Promo Price |
|--------------|-----------------|--------------|-----------|----------------|
| JM675 | 36 x 26 | 200 | 0.9 mils | 16.99 |
| JM676 | 38 x 30 | 200 | 0.9 mils | 20.79 |
| JM677 | 50 x 35 | 125 | 0.9 mils | 20.60 |
| JM678 | 48 x 42 | 125 | 0.9 mils | 23.60 |

HEAVY-DUTY CEILING MOUNT HEATERS

• Built-in ceiling bracket for easy mounting

Dimensions: 10-5/8" W x 12-1/2" D x 14" H

- Automatic fan delay
- Rugged heavy-duty industrial heater
- Ideal for use in storage rooms, workshops, garages, warehousing

Voltage: 240 V

Min. Amperage: 10.41 A Max. Amperage: 20.83 A

Plug Type: Hardwire



| Model | Motor | | BTU/H | Rating | Promo |
|-------|---------|-------------|-------|--------|--------|
| No. | Type | Wattage | Min. | Max. | Price |
| EA532 | Open | 3,000-5,000 | 8,530 | 17,060 | 199.00 |
| EA652 | Enlosed | 6,250-7,500 | 8,530 | 25,600 | 299.00 |

TANK-TOP RADIANT HEATERS

- · Efficient, heats radiantly, directly, no loss of heat to the air
- Economical, no electricity required
- Fits on a standard 20-lb. LP cylinder

JG966



.B.WHITE

Tank not included

| Model | | BTU/h | Rating | Promo |
|-------|-------------|-------|--------|--------|
| No. | Description | Min. | Max. | Price |
| JG966 | Single | 9000 | 15000 | 69.90 |
| JG967 | Double | 9000 | 30000 | 152.00 |

HEAVY-DUTY OUTDOOR ND337 STORAGE CONTAINERS • Thick-walled, durable polyethylene construction

• Double-walled reinforced lid Molded forklift channels **ND202** and recessed hand holes

• Capacity: 5.5 cu. Ft.

JK232

| | 233 | PE095 |
|---------|-----|-------|
| | 3 | |
| | | |
| 100 | | |
| ensions | | |

| Model | | D | imens | ions | | | Promo |
|-------|----|---|-------|------|----|--------|--------|
| No. | L" | x | W" | х | Н" | Colour | Price |
| ND337 | 30 | х | 24 | х | 24 | Yellow | 159.00 |
| ND202 | 30 | х | 24 | х | 24 | Grey | 159.00 |

SALT & SAND SCOOPS

| Model No. | Capacity | Colour | Promo Price |
|--------------|----------|--------|----------------|
| PE095 | 1 gallon | Yellow | 18.95 |
| PE096 | 1 gallon | White | 18.95 |
| JK232 | 2 Litres | Yellow | 5.99 |

PORTABLE SALAMANDER HEATER

- · Manufactured for long lasting, this portable heater for warehouses, factories, garages, construction sites, pavilions and other open areas, raise temperature to the desired level gradually for worksite comfort
- Fan Motor Type: Enclosed air over, Ball bearing
- Adjustable thermostat
- Adjustable tilt angle
- Mounted on 10" solid rubber wheels
- Over heat protection
- Easy to move to different areas of the site
- Variable speed setting, fan forced
- Type: Contractor
- Power Source: Electric
- Max. BTU Rating: 34121 BTU/H
- Voltage: 240V
- Wattage: 10080 W



Drum not included

| Model | Promo |
|-------|--------|
| No. | Price |
| EA786 | 999.00 |

ALL-IN-ONE DRUM TRUCKS

- All-welded design with 1-1/4" round tube
- Drum trucks can be used to transport and dispense drums
- Easy-to-use belt-system and hook keeps drums securely on the truck
- Easy to load and unload on skids
- Capacity: 1200 lbs.
- Durable Kleton blue enamel finish
- Handle Type: Dual





| Model | Wheel | Promo |
|-------|--------------------|--------|
| No. | Type | Price |
| DC256 | 10" Mold-on Rubber | 367.00 |
| DC257 | 10" Pneumatic | 399.00 |

STEEL DRUM GRABBER

- Lift and transport one 45 imp./55 US gal. steel drum without the fork truck driver leaving his seat
- No risk of drum slipping since handler grips under rim of drum or rolling hoops
- Heavy gauge grabber slides onto truck forks and is locked with two turn down screws
- Lifting capacity: 1000 lbs.
- Fork Pocket Inner Dim.: 5-1/2" W x 2" H







PRODUCTS CAN BE CUSTOMIZED TO MEET YOUR SPECIFIC NEEDS

