

**DOWNLOAD OUR NEW
REFERENCE CATALOGUE TODAY!**

BICKLESHARDWARE.COM OR CALL (905) 356-8151



SHOP ESSENTIALS PROMOTION!

MULTI-POCKET PHONE & TOOL HOLDER

- Includes four outside pockets
- Cell phone pocket has soft lining to protect against scratches, fits most cell phones
- Attach to belt using the snap closure or the wide padded flap
- Detachable electrical tape sling
- Material: Polyester
- Colour: Black
- Style: Multiple Tool Holder
- Dimensions: 6-1/4" L x 2" W x 9-1/2" H



aurora tools

Model No.	Promo Price
TER026	9.95

WELDING HELMETS

- Lightweight design with ratchet headgear
- Comes complete with shade 10 lens
- Passive lens
- Material: Thermoplastic
- **NT645:** Meets ANSI Z87.1-1989, section 10 and 11
- **NT687:** Meets ANSI/ISEA Z87.1-2015



Model No.	Description	Window Dimensions"	Promo Price
NT645	Flip Front	2 x 4-1/4	14.89
NT687	Fixed Front	4-1/2 x 5-1/4	21.85



SHELF CARTS

- 16-gauge steel shelves with 2-1/2" high lip
- 1-1/2" x 1-1/2" x 12-gauge formed steel posts
- 1-1/4" diameter tubular steel handle
- Top and middle shelves can be installed lip up or down
- Two rigid and two swivel bolted-on casters
- Capacity: 900 lbs. evenly distributed



KLETON



MB495

Model No.	No. of Shelves	Overall Dim.					Promo Price
		W"	x	D"	x	H"	
5" BLUE ELASTIC RUBBER CASTERS							
MB495	3	18	x	30	x	36	197.00
MB496	3	24	x	36	x	36	242.00
MB497	3	24	x	48	x	36	266.00
5" POLYOLEFIN CASTERS							
MB485	3	18	x	30	x	36	187.00
MB486	3	24	x	36	x	36	219.00
MB487	3	24	x	48	x	36	253.00

HEAVY-DUTY OSCILLATING FAN

- Wall mount
- 3-speed, 1/3 HP
- All-metal construction
- 9.8' SJT power cord
- Motor Type: Fully Enclosed



Model No.	Diameter"	High	CFM Med	Low	Promo Price
EA667	30	13400	7805	5070	415.00

Pricing in effect until October 8, 2021 or while quantities last. Taxes and freight extra. Issue #SDW221072NA

Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.

PAINTERS MASKING TAPE



PF690

- High quality painting tape adheres to multiple surfaces
- Reliable adhesion resists paint bleed-through
- Removes cleanly in one piece
 - Length: 55 m (180')
 - Colour: Green

aurora tools®

Model No.	Width	Promo Price
PF690	25 mm (1")	2.99
PF691	50 mm (2")	5.99

PAINT TRAYS

- For 9-1/2" Rollers
- **NE096 & NA196:** General - These deep wall, rust-resistant metal trays and plastic trays have adder grip type legs
- **NA208:** Professional - These trays are of heavy-duty rust resistant metal. They have sturdy metal legs for use with ladders.

NA208



Rubberset®



NI523



NE096

Model No.	Description	Promo Price
TRAYS		
NE096	Plastic Tray, 4 Litre Capacity	5.17
NA196	Metal Tray, 2 Litre Capacity	5.31
NA208	Metal Tray, 2 Litre Capacity	7.07
LINERS		
NI523	Plastic tray liner for NA208	1.86

MULTI-USE PAINT ROLLER SLEEVES

- Designed for smooth surfaces
- Length: 230 mm (9")
- Sleeve Material: Polyester Fibre
- Core Material: PP (Polypropylene)
- Core Diameter: 1-1/2"
- Application Type: Oil and Latex Paints

KP726



aurora tools®

Model No.	NAP	Promo Price
KP726	6 mm (1/4")	2.32
KP727	9.525 mm (3/8")	2.64

GO BULK OIL PAINT BRUSHES

- Lowest priced line of bristle brushes
- Handle Material: Plastic
- Filament Material: Natural Bristles
- Brush Shape: Flat

NA183



Rubberset®

Model No.	Brush Width"	Promo Price
NA183	2	1.88
NA184	3	2.89

AP100 SERIES PAINT BRUSHES

- 100% black polyester bristles
- Solid plastic handle
- Tin-plated ferrule
- Well-suited for latex-based paints
- Thickness: 1/4"

KP853



aurora tools®

Model No.	Width"	Promo Price
KP307	1	0.75
KP308	2	1.20
KP765	3	1.88
KP766	4	2.70
KP853 Kit of 4, Includes KP307, KP308, KP765 & KP766		5.93

AP200 SERIES PAINT BRUSHES

- Tin-plated ferrule
- Well-suited for oil-based paints
- Handle Material: Wood
- Filament Material: White China
- Length Out: 1-1/2"
- Brush Shape: Flat

KP854



aurora tools®

Model No.	Width"	Thickness"	Promo Price
KP306	1/2	5/16	0.38
KP297	1	3/8	0.41
KP298	2	3/8	0.60
KP299	3	3/8	0.86
KP854	Kit of 4, Includes KP306, KP297, KP298 & KP299		1.99



ULTIMATE TURBO ENAMEL SPRAY PAINT

- The speed and quality of professional spray equipment without the hassle
 - Applies easily and dries fast to a tough, attractive finish
- Superior coverage, colour and gloss retention
 - The 10" wide spray allows for faster project completion, making it ideal for large projects
 - Container Type: Aerosol Can
 - Container Size: 656 g
 - Net Volume: 652 g

KQ120



Model No.	MFG No.	Colour	Promo Price
KQ119	352466	White	19.89
KQ120	352467	Black	19.89

NI814



IRON GUARD® ACRYLIC ENAMEL INDUSTRIAL COATING™

- High gloss, 100% acrylic, waterborne coating for light to moderate industrial use
 - Designed for new construction or maintenance use, can be used directly over prepared substrates, including metal
- Chemical and corrosion resistant, fast drying and outstanding early moisture, flash rust and early rust resistance
 - Low odour, outstanding adhesion
 - Size: 1 gallon



Model No.	MFG No.	Colour	Promo Price
NI813	K11004041	Gloss White	60.10
NI814	K11001131	Gloss Black	55.80
KP262	K11001201	Flat Black	50.80
NI815	K11029101	Safety Yellow (OSHA)	63.10
KP263	K11018001	Safety Blue (OSHA)	57.30
NI822	K11003271	Light Machinery Grey (ASA-61)	55.70
KP267	K11006631	Dark Machinery Grey (ASA-49)	58.30

HIGH HEAT SPRAY PAINT

- Provides protection against corrosion and heat, while delivering long-lasting durability
- Tough, professional finish—superior resistance to chipping, cracking and peeling
- High-output tip covers 50% faster
- For use on: Boilers, steam pipes, vents, exhaust pipes, kilns
- VOC compliant
- Container Type: Aerosol Can
- Container Size: 20 oz.
- Net Fill: 15 oz.
- Finish: Gloss
- Surface Coverage: 14 sq. ft. (1.3 m²)
- Max Operating Temperature: 1000°F
- Series: High Performance V2100 High Heat Coating

KP401



Model No.	MFG No.	Colour	Swatch	Promo Price
KP401	V2116838	Aluminum		10.69
KP402	V2176838	Black		10.69

Note: Colours may not be exactly as shown

MULTI-PURPOSE ENAMEL SPRAY PAINT

- For indoor/outdoor industrial-maintenance use
- Surface Coverage: Approximately 22 sq. ft. (2 m²)
- Max Operating Temperature: 200°F
- Series: Industrial Choice 1600
- Container Size: 16 oz.
- Net Fill: 12 oz.

KP434




Model No.	MFG No.	Colour	Swatch	Promo Price
KP434	1624830	Safety Blue		7.55
KP436	1644830	Safety Yellow		7.55
KP437	1653830	Safety Orange		7.55
KP439	1676830	Ultra-Flat Black		7.55
KP441	1679830	Glossy Black		7.55
KP444	1690830	Flat White		7.55
KP445	1692830	Glossy White		7.55
KP447	1680830	Grey Primer		7.55

Note: Colours may not be exactly as shown

WORK DAY INDUSTRIAL ENAMEL PAINT

- Offers an economical solution to marking, colour coding and miscellaneous spray paint needs where long term quality and durability are not required
- Dries to touch in 12 minutes
- VT alkyd formulation
- Container Type: Aerosol Can
- Paint Base Type: Solvent-Based
- Container Size: 16 oz.
- Net Fill: 10 oz.

NI472



Model No.	MFG No.	Colour	Swatch	Promo Price
NI472	A04401007	Gloss white		4.91
NI507	A04422007	Flat white		4.91
NI473	A04406007	Yellow		4.91
NI474	A04413007	Orange		4.91
NI475	A04404007	Gloss red		4.91
NI476	A04403007	Blue		4.91
NI508	A04409007	Sky blue		4.91
NI509	A04456007	True blue		4.91
NI510	A04431007	Brown		4.91
NI515	A04408007	Green		4.91
NI492	A04412007	Flat black		4.91
NI512	A04405007	Grey		4.91
NI513	A04420007	Dark grey		4.91
NI478	A04402007	Gloss black		4.91
NI479	A04418007	Grey primer		4.91
NI480	A04419007	Red primer		4.91

Note: Colours may not be exactly as shown

SINGLE-FLINT LIGHTERS WITH 5 FLINT HOLDERS

- 5 flints per holder



Model No.	Promo Price
TTU432	8.50

NOZZLE-KLEEN® H-D

- The accumulation of spatter on nozzles and tips can lead to poor gas coverage resulting in poor welds
- Preventing spatter build-up will increase weld quality and reduce costly downtime
- Maintain a clean nozzle
- Used for highest temperature applications including pulsed welding and argon rich mixtures
- Outstanding fixture protection
- Excellent for stainless steel
- Non-flammable, paintable no fluorocarbons and ozone friendly
- Size: 16-oz. Aerosol



Model No.	MFG No.	Promo Price
388-1145	1008415	8.89

CHIPPING HAMMER

- Cone and chisel head
- Spring steel handle
- Handle Type: Solid Steel
- Overall Length: 10-1/2"
- Head Length: 6-1/4"



Model No.	Promo Price
NP532	4.75

WELD-KLEEN® HEAVY-DUTY ANTI-SPATTER

- Base metal and fixture applications become easier to clean and remove unwanted weld spatter
- Regular use of these products reduces the need for grinding and other clean-up tasks
 - Cuts costs by reducing downtime
- A convenient solvent based, quick-drying aerosol that allows for pre-heat, higher duty cycles and higher temperature applications
 - Size: 20-oz. Aerosol



Model No.	MFG No.	Promo Price
388-1165	1008411	9.09

CENTERING HEADS

#6 STANDARD MODEL


- Used on pipe 1/2" to 4" diameter or larger
- Fitted with an adjustable dial bubble protractor (DSL), manually operated centering pin



430-2050

#7 JUMBO MODEL

- For pipe 1" diameter and up
- Includes DSL
- Spring-loaded hardened centering pin eliminates the need for a hammer




430-2070

CURV-0-MARK®

Model No.	MFG No.	Type	Head Type	Head Width"	Promo Price
430-2050	14775	Standard	Y	4	139.00
430-2070	14776	Jumbo	Y	8	249.00

#28 MAGNETIC BURNING GUIDE

- Designed for use with a burning torch or as a straight edge
- Cast of strong, durable material to withstand heat and spatter
- Base has three 30-lb pull cast-in magnets for use in any position
- 24" blade on a raised plane is standard



430-2210

430-2190



CURV-0-MARK®

Model No.	MFG No.	Description	Promo Price
430-2190	14791	Burning Guide	139.00
#30 48" EXTENSION			
430-2210	14793	Attachment, 2 sections	79.00

TIP DRILL KIT



- Cleans cutting tips and a variety of other fuel orifices and injectors
 - Includes 12 drills in sizes 52-74
- Promotes more effective fuel use and increases performance in welding, cutting and heating tips
- Drills store neatly in pipe vise handle



Model No.	Promo Price
NT660	7.45

CABLE PROTECTOR


- Lightweight durable leather with Kevlar® sewn seams for flexibility and strength
- For TIG, MIG, plasma and flux-cored torch cable/hose assembly
- Metal snaps every 3"
- 22' L x 4" W



Model No.	Promo Price
NP520	49.95

AIR CARBON ARC GOUGING ELECTRODES

- Consistent copper coating DCCC
 - Used for gouging out defective welds and cutting non-ferrous metals
 - Length: 12"
- Sold per package



Model No.	Diameter"	Qty /Pkg.	Promo Price
NT632	5/32	100	23.95/Pkg.
NT633	3/16	50	14.95/Pkg.
NT634	1/4	50	18.95/Pkg.
NT635	5/16	50	22.95/Pkg.
NT636	3/8	50	32.95/Pkg.
NT637	1/2	50	61.95/Pkg.

MILLER® STYLE REPLACEMENT AIR-COOLED MIG GUNS

- Guns are complete with 15' cable length
- 250 Amps CO₂ @ 100% duty cycle
- 250 Amps mixed gas @ 60% duty cycle
- Wire capacity: 0.030" - 0.045"
- Feeder Plug: Miller DP
- Amperage Rating: 250



Model No.	Promo Price
NT206	309.00

HEAVY-DUTY GROUND CLAMPS

- Manufactured from nickel-plated steel with forged brass conductors
 - Braided copper strap to carry current to upper jaw
 - Heavy-duty spring provides positive contact at jaws
- Cable is easy to install with built-in cable connector and oval point screw
 - Allen-type wrench included

NT668




Model No.	Amps	Promo Price
NT668	300	13.75
NT669	500	15.99

MILD STEEL STICK ELECTRODES - 7018

- Sold per 5-lb. tube
- A high deposition electrode for low and medium carbon steels
- An efficient, all-position, iron powder, low hydrogen type electrode
- Exhibits excellent mechanical properties, crack resistant and X-ray quality welds
 - Operates on AC or DCEP

TTU719



Model No.	MFG No.	Diameter"	Promo Price
TTU719	7018332E5	3/32	18.49
TTU720	701818E5	1/8	18.19
TTU721	7018532E5	5/32	17.99



WELDERS' CAPS

- Athletic mesh lining to allow sweat vapour to quickly evaporate
- Preshrunk and presoftened lightweight fabric, flame retardant until washed
 - Air-cushioned front lining for comfort and sweat absorbency
- Assorted styles include: Happy Hour, Paradise, Camo and Wild
 - 12 per package



Happy Hour Paradise Camo Wild



Model No.	Diameter"	Promo Price
NT838	7-1/8	55.95/Pkg.
NT839	7-1/4	55.95/Pkg.
NT840	7-3/8	55.95/Pkg.
NT841	7-1/2	55.95/Pkg.
NT842	7-5/8	55.95/Pkg.

LEATHER SLEEVES

- Heat and flame-resistant leather is made from durable side split cowhide
- Designed to allow even weight distribution on the user to reduce fatigue
- Sewn with Kevlar thread
- Electrical insulated snaps
- Length: 23"
- Colour: Lava Brown™
- Certification: EN ISO 11611:2015 Class 2/A1+A2



Model No.	Promo Price
TTU389	51.95

WELDSAFE® NO. 447 ANTI-FATIGUE MATS

- Designed specifically for welding
- Repels sparks and hot metal shards
- Buoyant sponge base alleviates leg and back stress
- Bevelled edges and pebbled surface for safety and extra traction
- 9/16" thick
- 4-year warranty



Model No.	MFG No.	Dimensions W' x L'	Promo Price
NG181	447.916X2X3BK	2 x 3	72.99
NG182	447.916X3X5BK	3 x 5	184.00

WELDERS' PIPELINER GLOVES

- Premium split cowhide leather exterior construction
- Full grain cowhide leather interior provides incomparable comfort
- Protective leather patch on back of left hand
- Excellent abrasion resistance
- Unlined
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance



SAV008



Model No.	Size	Promo Price
SAV008	Large	10.65/Pair
SEB930	X-Large	11.75/Pair

WELDERS' COWHIDE TIG GLOVES

- Premium quality grain cowhide leather construction
 - Unparalleled fit and dexterity with exceptional durability
 - Welted seams and straight thumb for expert control
 - 4" gauntlet cuff provides superior protection
- Sewn with DuPont® Kevlar® thread for higher seam strength and seam flame resistance
 - Lining: Unlined



Model No.	Size	Promo Price
SDL992	Medium	9.09/Pair
SDL993	Large	9.29/Pair
SDL994	X-Large	9.69/Pair

HIGH HEAT HAND SHIELDS

- Aluminized PFR rayon reflects 95% radiant heat
- 5-ply DuPont® Kevlar® sewn and split cowhide backing for extra durability
- Leather and elastic strap system
- Grade: Premium Quality
- Sold individually

SE549



Model No.	Promo Price
SE549	9.69/Shield

COMMERCIAL MAGNUM PADLOCKS

- Stainless steel body cover and top and bottom plates for exceptional weatherability
- 1" (25mm) octagonal boron carbide shackle is 50% harder than hardened steel
- Chrome-plated shackle for excellent rust resistance
- Superior pry resistance with dual-ball bearing locking
- Type: Security Padlock
- Body Material: Laminated Steel
- Shackle Material: Boron Steel
- Colour: Silver
- Key Type: Keyed Different

Master Lock



Model No.	MFG No.	Body Width"	Shackle Dia."	Clearance x H" x W"	Promo Price
SGC385	M1STS	1-3/4	5/16	x 1 x 13/16	16.99
SGC386	M5STS	2	3/8	x 1 x 5/16	20.99

RESETTABLE BRASS COMBINATION PADLOCKS

SAS366



Master Lock

- Strong, solid brass case construction resists corrosion - ideal for harsh environments
 - Heavy hardened steel shackles provide high resistance to cutting and prying
 - Model SEJ513 features a key override providing immediate access to supervisors in the field
- SEJ514 control key sold separately
 - Body Width: 2"
 - Shackle Diameter: 5/16"
 - Shackle Opening Width: 1"

Model No.	MFG No.	Shackle Clearance Height"	Promo Price
SAS366	175	1	26.39
SAG162	175LH	2-1/4	29.75
SEJ513	176-P761	1	28.99
CONTROL KEY			
SEJ514	K7-P761	-	5.09

SEAL TIGHT™ HANDLE-ON VALVE LOCKOUT

- Durable aluminum and steel construction defies corrosive environments and operates in extreme temperatures
- Works in virtually all ball valve installations - metal and PVC valves, insulated pipes and pipes with tight access due to close proximity to other valves, pipes or structures
- Works with all Master Lock® and American Lock® safety padlocks and safety hasps
- Innovative design for diameters of 1/4" to 4"
- Valve Type: Ball

Master Lock



Model No.	MFG No.	Promo Price
SAS463	S3068	46.99

LOCKOUT STATIONS

Master Lock

SGW124

- Integrated, one-piece molded construction eliminates loose parts
- Resilient polycarbonate material provides twice the heat resistance and quadruples the impact strength of typical stations
- Reinforced snap-lock clips provide easy padlock and hasp storage and removal
- Exclusive translucent lockable cover



INCLUDES:

- 10 Master Lock® Safety Series™ padlocks
- 2 Safety Series™ hasps for lockouts by up to six workers
- 24 Safety Series™ heavy-duty bilingual "Do Not Operate" lockout I.D. tags with brass grommets
- Dimensions: 15.5" x 22" x 1.75"



SAO605

Model No.	MFG No.	Description	Promo Price
SGW124	1483B	Trilingual Covered Lock Station	154.00
SAO605	1483BP410FRC	Station w/Zenex™ Padlocks	405.00
SAO606	1483BP1106FRC	Station with American Lock® Aluminum Padlocks	397.00

ROTATING ELECTRICAL PLUG LOCKOUTS

- Complete with high-visibility permanent safety labels (English, French and Spanish)
- Dielectric Zenex™ thermoplastic bodies withstand chemicals; perform effectively in extreme conditions
- Unique outward rotation allows for easier installation in confined space applications
- The SAL521 labels can be written on

SAL521



Master Lock

Model No.	MFG No.	Fits Plug Diameters"	Promo Price
SAL520	487	2-1/4 - 3-1/4	16.49
SAL521	488	3 - 6	21.85

PADLOCK RACK STATIONS

- Heavy gauge steel with durable powder coat finish ensures long life in manufacturing environment
- Holds safety padlocks near lockout point
- Includes labels in English, French and Spanish

SAP985

Padlocks not included

SAP986



Master Lock

Model No.	MFG No.	Padlock Capacity	Dimensions	Promo Price
SAP985	S1506	6 to 8	6-1/4" x 1-1/2"	23.99
SAP986	S1518	18 to 22	17-1/2" x 1-1/2"	36.69

COLD CHISELS W/GRIP GUARD

- Individually forged from high quality alloy steel
- Manufactured to the highest safety standards
- Precisely ground cutting edge is induction hardened to 52-58 HRC
- Striking head is hardened to 42 HRC to prevent splintering during use

aurora tools



TYB511

Model No.	Width Cut"	Stock Size"	O.A. Length"	Promo Price
TYB510	3/4	5/8	12	16.95
TYB511	1	7/8	10	19.95
TYB512	1	7/8	12	21.95

PIPE WRENCHES

- Drop-forged alloy steel jaws
- Durable ductile steel body provides the ultimate in performance
- Precision-milled sure gripping teeth
- Spring action ensures sure grip and quick release

aurora tools



TJZ106

Model No.	Length"	Pipe Capacity"	Promo Price
TJZ106	8	1	9.25
TJZ107	10	1-1/2	12.25
TJZ108	12	2	15.25
TJZ109	14	2	18.25
TJZ110	18	2-1/2	23.25



POWER BITS

- Made from S2 modified shock resistant steel for professional performance and durability
- Proprietary, precision CNC machined tips for excellent fit in fastener recess
 - Drive Size: 1/4"
- Finish: Gunmetal Grey

UAH149



UAH715

Model No.	MFG No.	Tip Style	Tip Size	Overall Length"	Promo Price
UAH149	190P1A	Phillips	#1	3-1/2	1.09
UAH152	190P2A	Phillips	#2	3-1/2	1.09
UAH156	190P3A	Phillips	#3	3-1/2	1.09
UAH027	1150P1A	Phillips	#1	6	1.69
UAH030	1150P2A	Phillips	#2	6	1.69
UAH034	1150P3A	Phillips	#3	6	1.69
UAH715	190R1A	Square	#1	3-1/2	1.05
UAH718	190R2A	Square	#2	3-1/2	1.05
UAH721	190R3A	Square	#3	3-1/2	1.05
UAH452	1150R1A	Square	#1	6	1.79
UAH455	1150R2A	Square	#2	6	1.79
UAH459	1150R3A	Square	#3	6	1.79

FOLDING HEX KEY SETS

- Chrome vanadium steel for strength and durability
- Tips are chamfered for ease of entry and proper fit
- Set folds securely into convenient storage compartment

TNB735



TNB733



aurora tools

TNB734



Model No.	No. of Keys	Key Sizes	Promo Price
SAE FOLD UP			
TNB733	9	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	4.25
METRIC FOLD UP			
TNB734	8	1.5 mm, 2.0 mm, 2.5 mm, 3.0 mm, 4.0 mm, 5.0 mm, 6.0 mm, 8.0 mm	4.39
SAE - BALL END FOLD UP			
TNB735	9	5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"	7.25

PRY BAR SET

- Forged from premium alloy steel
- Corrosion resistant black oxide finish
- Heat-treated for maximum durability
- High visibility, oil and solvent resistant acetate handle
- Limited lifetime warranty
- Includes: 13", 18-1/4" & 24-1/4" Pry bars
- Overall Dimensions: 27" L x 5-1/2" W x 1-1/2" H



Model No.	MFG No.	Promo Price
TYP506	73903	105.00

P1000 SERIES MEASURING TAPE

- Hi-Viz® orange case - easy to find on the job
 - Rubber cushion case exterior protects tape from impact and improves grip
 - Fits easily into most tape holsters
 - Bright yellow blade has clear easy-to-read numerals
 - Graduations: in./ft.



Model No.	MFG No.	Blade Length'	Blade Width"	Promo Price
TLV596	PHV1312N	12	3/4	14.99
TLV612	PHV1425N	25	1	20.55
TLV620	PHV1433N	33	1	22.45

HICKORY HANDLE HAMMER

- Large natural colour, American hickory handle
- Extra tough, heat-treated fully polished head
- Extra large striking face
- Natural shock absorbing qualities of natural wood
- Meets ANSI standards
- Head Weight: 22 oz.
- Face Finish: Polished
- Handle Type: Wood
- Overall Length: 14-3/4"
- Type: Framing

aurora tools®



Model No.	Promo Price
TJZ034	17.65

QUICK-GRIP® HANDI-CLAMP®

- Quick-Release™ trigger allows for fast and easy positioning and release
- Patented ratcheting mechanism provides adjustable clamping pressure and significantly reduces hand force required to generate clamping pressure
- High-tech resin construction provides strength and durability
- Specially designed jaws hold odd-shaped workpieces




TBQ662

IRWIN.

Model No.	Clamping Capacity	Spreading Capacity	Throat Depth	Promo Price
TBQ662	1-1/2" (37 mm)	1-1/2" (37 mm)	1-1/2" (37 mm)	4.75
TBR083	2" (50.8 mm)	2" (50.8 mm)	2" (50.8 mm)	9.55
TBR085	4" (101.6 mm)	4" (101.6 mm)	3" (76.2 mm)	11.55

OFF-SET BENCH VISE

- Heavy-Duty industrial grade vise
- V notched hardened jaws for vertical gripping
- Ideal for tall work pieces
- Hardened anvil striking surface used for forming & shaping
- Safety locking plate in base prevents the vise from slippage
- Jaw Width: 6"
- Max. Opening: 6-1/2"
- Throat Depth: 4"
- Mount Type: Fixed



aurora tools®

Model No.	Promo Price
TYL103	149.00

INDESTRUCTIBLE HANDLE HAMMERS

- Meets ANSI BS 876 standard for material hardness and performance
 - Will not break, bend, or split even after repeated overstrikes
 - Indestructible handle is made up with spring steel bars, encased in rubber, running through the handle
 - Spring steel bars are locked into the hammer head with steel locking plates, ensuring it never dislodges
 - Ergonomic rubber grip handle absorbs impact and vibration reducing user fatigue
 - Head is induction case hardened 52-56 HRC
 - Head Weight: 4 lbs.
- No. of Spring Steel Bars: 4
- Face Diameter: 1-1/2"



TYB492

aurora tools®

Model No.	Overall Length"	Promo Price
TYB492	12	57.95
TYB493	16	71.95

C-CLAMPS

- Manufactured from SG iron with over 60,000 PSI of tensile strength
- Swiveling pad adapts to the correct angle to apply even pressure on the work piece
- Textured powder coat finish on frame and black oxide finish on spindle increases corrosion resistance



TYB504

aurora tools®

Model No.	Clamping Capacity"	Throat Depth"	Promo Price
TYB504	4	2-11/32	17.75
TYB505	6	3	22.75
TYB506	8	3-1/8	29.95
TYB507	10	3-1/2	38.80

5-PC. FILE SET W/ERGONOMIC HANDLES

- Rubber-coated ergonomic handles for better comfort and control
- General purpose selection for home and professional use

Includes:

- 6"/150 mm slim taper file
- 8"/200 mm flat bastard file
- 8"/200 mm mill bastard file
- 10"/250 mm mill bastard file
- 10"/250 mm half-round bastard file

CRESCENT NICHOLSON



Model No.	MFG No.	Promo Price
TBH218	22040HNN	65.99

MODULAR FILTERS, REGULATORS & LUBRICATORS (GAUGE INCLUDED)

- Components are attached in series using spacers and piping adapters, which make the individual components easily removable and mountable without disturbing the pipe line
- Comes complete with wall mounting bracket
- Air filter, regulator and lubricator come with NPT threads and gauge
- Operating Pressure: 7-145 PSI

Model No.	Connection Size	Max Air Flow	Bowl Capacity	Filter Bowl Capacity	Promo Price
POLYCARBONATE BOWL WITH STEEL BOWL GUARD					
TTY181	1/4" NPT	18 SCFM @ 105 PSI	0.68 fl. oz	0.30 oz	99.95
TTY182	3/8" NPT	71 SCFM @ 105 PSI	1.93 fl. oz	1.08 oz	135.00
TTY183	1/2" NPT	123 SCFM @ 105 PSI	5.17 fl. oz	1.50 oz	189.00

TTY181



aurora tools

5" PNEUMATIC ANGLE GRINDER

- 10000 RPM
- 5 CFM
- 1/4"-18 NPT air inlet
- 3/8" hose size

aurora tools



Model No.	Promo Price
THZ674	165.75

DIE GRINDER

- Easily reach tight workspaces with a right angle configuration and a compact, straight option
 - Air Consumption: 6 CFM
 - Air Inlet: 1/4" NPT
 - Sound Level (dBA): 101
 - Collet Size: 1/4"
 - No Load RPM: 20000



IR
Ingersoll Rand

Model No.	MFG No.	Promo Price
TU676	302B	159.00

HOSE REELS

- Hose Length: 50'
- Working Pressure: 300 PSI
- Reel Height: 20.25"
- Reel Width: 19.75"
- Reel Depth: 7"
- Reel Inlet (F) NPT: 1/2"
- Drive Type: Spring



REELCRAFT

Model No.	MFG No.	Hose I.D."	NPT (M)"	Promo Price
TN318	7650 OLP	3/8	1/4	509.00
TN319	7850 OLP	1/2	3/8	529.00

HEAVY-DUTY AIR BLOW GUN

- Impact and weather resistant nylon body
 - Ergonomic soft rubber grip
- Variable speed trigger controls the amount of air dispensed
 - Brass threaded air inlet ensures that threads do not shear
 - Air Inlet: 1/4" NPT
 - Air Consumption: 9.53 SCFM
- Maximum Working Pressure: 235 PSI
 - Tip: Standard
- Noise level at 100 PSI: 77 dB



aurora tools

Model No.	Promo Price
TYB519	23.95

NYLON COIL AIR HOSES W/FITTINGS

- Light and easy to handle
- High impact and abrasion resistance
- Excellent elastic memory, can be stretched repeatedly yet return to original shape for convenient storage
- High visibility yellow
- Inner Diameter: 3/8"
- Working Pressure: 300 psi
- Threads: 3/8" NPT (M)


aurora tools



Model No.	Length'	Promo Price
TLZ152	25	17.25
TLZ153	50	25.75

ROLOC™ 787C FIBRE DISCS

- To be used with disc sanders and right angle grinders
- Rapidly cuts hard-to-grind metals like stainless steel and high nickel alloys
- 3M Precision Shaped Ceramic Grain yields higher cut rates and cooler cut while completing more parts per disc than conventional fibre discs
- Grinding aid minimizes grinding temperatures for heat-sensitive alloys
- Diameter: 2"
- Arbor Size: None
- Abrasive Material: Ceramic



Model No.	MFG No.	Grit	Promo Price	Qty	Qty Price
TCT479	AB89689	36	0.99	200	0.89
TCT480	AB89694	60	0.89	200	0.79
TCT481	AB89699	80	0.89	200	0.75
NV156	AB89704	120	0.85	50	0.75

CERABOND CUTTING DISCS

- Works especially well with stainless steel
- High-performance ceramic cutting disc
- Thickness: 0.045"
- Arbor Taille: 7/8"
- Type: 1



Model No.	MFG No.	Dia."	Max. RPM	Promo Price
NV293	34256272	4-1/2	13200	3.29
NV294	34256273	5	12250	3.59
NV295	34256274	6	10200	5.19

BI-METAL HACKSAW BLADES

- Molybdenum alloy tool steel edge
- Tough and flexible high carbon steel backing
- Lasts twice as long as high-speed steel
- Lasts up to ten times longer than carbon steel
- Two blades per card
- Length: 12" (300 mm)
- Width: 1/2"
- Thickness: 0.025"
- Material: Bi-Metal
- Package Type: Carded

CRESCENT NICHOLSON



Model No.	MFG No.	TPI	Promo Price
TBH246	62839N	32	4.59/Card

JOBBER LENGTH DRILL BIT SET

- Industrial-duty 29-piece drill bit set
- For use on steels, cast iron, and most non-ferrous metals
- Two-tone black oxide finish provides ideal chip flow and resistance to abrasion
- Includes: (1) Steel case, (29) Drill bits from 1/16" - 1/2" by 64ths
- Material: High Speed Steel
- Shank Type: Round

aurora tools



Model No.	Promo Price
TCT047	109.00

ROLOC™ DISC HOLDERS

- Rubber Roloc™ back-up pads are offered in different sizes and degrees of hardness for varying grinding applications
- All Roloc™ disc holders are threaded and require model BP013 1/4", threaded shaft
- Diameter: 2"
- For Disc Type: Any 3M™ Roloc™ Disc or Bristle Product
- Max. RPM: 25000



3M

Model No.	MFG No.	Type	Promo Price
BP008	AB45095	Medium	19.95
BP005	AB45096	Hard	18.55
ROLOC™ THREADED SHAFT			
BP013	AB45102	-	3.65

CUSHION GRIP HACKSAW FRAME

- High tension technology for tightening the blade to 30000 PSI
 - Blade can be positioned for 45° or 90° cutting
 - Patented quick change blade design
 - Unique cushioned rubber grip reduces slippage for better control and comfort



CRESCENT NICHOLSON

Model No.	MFG No.	Promo Price
TJ246	80965	39.95

ATB100 PORTABLE TOOL BOX WITH METAL TOOL TRAY

- Durable steel construction
- Heavy-plated latches
- Inner trays in regular hand boxes
- High gloss powder coat paint finish
- Colour: Red
- Unit Capacity: 50 lbs.
- Overall Dimensions: 8-3/4" D x 21" W x 9" H

aurora tools



Model No.	Promo Price
TEP336	55.75

ROLLING TOOL CHEST

- Integrated power and USB ports on chest to charge power tools, batteries, and electronics
 - POSI-LATCH® drawer latching system for easy release by lifting the drawer trim
- 2 lock and swivel 6" x 2" casters, with reinforced mounting channels, support 2,500 lbs.
 - Heavy-duty keyed locking system safeguards your tools
 - No. of Drawers: 9
 - Colour: Black
 - Overall Depth: 21"
 - Overall Width: 41"
 - Overall Height: 42-1/2"
- Storage Capacity: 23 673 in³



DEWALT

Model No.	MFG No.	Promo Price
TER075	DWST24191	1599.00

ELECTRICIAN'S TOOL POUCH

- Large main pocket and smaller front pocket
- Rear clip or attach to 2-3/4" wide belt
- Handy flashlight or large tool sleeve
- Web loops and sleeve pockets provide extra storage
- Material: Polyester
- Colour: Black
- No. of Pockets: 5
- Style: Multiple Tool Holder



DEWALT

Model No.	MFG No.	Promo Price
TEQ610	DG5103	22.95

SITE-VAULT™ CHEST

- Heavy-duty beveled edge lid eliminates hip spikes on sharp corners and strengthens lid
- Patented security system has a full-length steel lock console with 3 locking points and reflective orange lock indicator that shows when the box is locked/unlocked
- Heavy-duty 4-way skid bolsters allow fork lift loading from any side for quicker and easier transport
- Dual built-in lid storage bins
- Overall Depth: 24"
- Overall Height: 30-3/4"
- Overall Width: 48"
- Colour: Orange
- Material: Steel
- Capacity: 20.5 Cubic Feet

CRESCENT JOBOX



Model No.	MFG No.	Promo Price
UAI897	2-654990	759.00

TOOL CHEST

- Integrated power and USB on chest can charge power tools, batteries, and electronics
 - 100 lb. ball-bearing drawers with soft close latching for smooth and quiet operation
 - 12,348 cubic inches of storage
 - 18-20 gauge double-wall steel construction is reinforced with internal corner gussets
 - No. of Drawers: 6
 - Colour: Black
 - Overall Depth: 18"
 - Overall Width: 40-1/2"
 - Overall Height: 24-1/2"

DEWALT



Model No.	MFG No.	Promo Price
TER053	DWST24062	725.00

UTILITY KNIFE HOLDER

- Includes one outside pocket, two inside pockets, a measuring tape clip & pen holder sleeve
- Designed for utility and "lock-back"-style knives, pliers or snips
- Belt clip that fits belts up to 2" wide
- Material: Polyester
- Colour: Black
- Dimensions: 6" L x 3-1/2" W x 9-3/4" H



aurora tools

Model No.	Promo Price
TER025	6.95

SPECIALIST™ RUST RELEASE PENETRANT

- Penetrates deep into crevices, threads and seams to break the bonds that hold stuck parts together
- Ideal for use on nuts, bolts, threads and locks
- Leaves behind a protective layer and helps prevent rust and corrosion from re-forming
- Quickly goes to work on rusted nuts, bolts, threads, locks and chains
- Format: 311 g
- Container Type: Aerosol Can
- Film Type: Wet



Model No.	MFG No.	Promo Price
AF171	01078	7.70

POWER LUBE W/PTFE

- Contains PTFE for long-lasting lubrication and protection
- High performance
- NSF Registered H2
- Format: 312 g
- Container Type: Aerosol Can
- Maximum Working Temperature: 300°F (148.9°C)



Model No.	MFG No.	Promo Price
AF239	73045	12.50



CITRUS BASE CLEANER

- Heavy-duty degreaser/cleaner
- Safe on metals, ceramic, glass, porcelain and many plastics
- Removes grease, oil, ink and most adhesives
- No harmful solvents
- Format: 24 oz.

Model No.	MFG No.	Promo Price
QN488	CITRUS-24OZ-IND	27.49

CHAIN & WIRE ROPE LUBRICANT

- Blend of synthetic lubricants that penetrate deep and leave a tough protective film
- Extends the working life of chains and wire rope
- Reduces wear caused by corrosion and friction
- Format: 283 g
- Container Type: Aerosol Can
- NSF Category Code: H2



Model No.	MFG No.	Promo Price
MLN961	73050	14.80

SECURITY CHECK PAINT MARKERS



KP864



- Dry to touch in 15 minutes
- Full cure in 4 days
- Each tube packed with extended plastic tip
- Container Size: 1.7 oz.
- Marking Range: -20°C to 70°C
- Marking Temp Resistance: 200°C



Model No.	MFG No.	Colour	Promo Price
KP856	096668	White	5.85
KP857	096669	Yellow	5.85
KP858	096670	Red	5.85
KP859	096671	Blue	5.85
KP860	096672	Green	5.85
KP861	096673	Black	5.85
KP862	096674	Orange	5.85
KP863	096675	Purple	5.85
EXTENDED PLASTIC TIP			
KP864	096676	-	0.93

WHITE LITHIUM GREASE

- For metal-to-metal and metal-to-plastic applications
- Corrosion protection
- No ODC's
- Temperature resistance: 380°F (193°C) dropping point

AE854

AA611



Model No.	MFG No.	Format	Container Type	Promo Price
AE854	1906122	304 g	Aerosol Can	8.67
AA611	270638	69 g	Squeeze Bottle	4.02

LOTION SOAP DISPENSER

- Self-adhesive pads and mounting hardware included
 - Vertical swing door
- Includes locking feature
- Made of durable plastic
 - Capacity: 1000 ml
 - Style: Push
- Format: Cartridge Refill
 - Type: Wall-Mount



Model No.	Colour	Promo Price
JL607	White	10.85
JL606	Black	10.85

MOISTURIZING HAND SOAP

- Certified UL ECOLOGO® 2784
- 1785 hand washes per foam soap cartridge
- Fragrance-free and dye-free
- For industrial, institutional and food plant use only
- Type: Liquid
- Container Type: Bag Cartridge
- Net Volume: 1 L
- Fragrance: Unscented
- Colour: Clear



Model No.	Promo Price
JL608	7.39

MULTI-PURPOSE CLEANER & DEGREASER

- Formulated to safely clean and deodorize all washable surfaces
 - Biodegradable, non-toxic, non-corrosive
- Contains natural tangerine essential oils
 - Concentrated
- Accepted for use in Canadian food processing facilities
- Certified UL ECOLOGO® 2759
 - 4-L jug



Model No.	Promo Price
JC001	10.69

INDUSTRIAL GARBAGE BAGS

- Excellent strength and puncture resistance eliminates the need for double bagging
- Excellent performance when compared to standard in the category
- RMP® garbage bags are certified UL Ecologo® by a well recognized Canadian third party certification body
- UL Ecologo® certified bags are less harmful for the environment
- Strength: Utility
- Colour: Black
- Qty/Pkg.: 500
- Material: Recycled Material
- Type: Open Top
- Thickness: 0.64 mils



Model No.	Length"	Dim. x Width"	Promo Price
JM669	22	x 20	15.99
JM671	22	x 24	18.99
JM670	24	x 22	18.99

LARGE WASTE CONTAINER

- Made of durable polyethylene that will not rust, chip or dent
- Nestable
- Handle grips allow for easy & comfortable gripping & lifting
- Lid sold separately
- Capacity: 44 US gal.
- Overall Width: 27.60"
- Diameter: 24"
- Height: 31.50"

JK676



JK678



JK677



Model No.	Description	Colour	Promo Price
JK676	Container	Grey	45.99
JK677	Dolly	Black	40.75
JK678	Lid	Grey	14.75

LEMON SCENTED CLEANER & DEGREASER

- Biodegradable, non-butyl
- Concentrated, heavy-duty, multi-purpose cleaner
- Cleans, deodorizes and is safe to use on all washable surfaces
- 4-L jug



Model No.	Promo Price
JA147	9.39

GRAIN & COAL SCOOP SHOVEL

- Lightweight scoop perfect for moving and scooping grain, seed, feed, fertilizers, and other granulated materials
- Blade Size: 18-1/2" x 14-1/2"
- Blade Material: Polypropylene
- Handle Material: Wood
- Handle Type: D-Grip
- Handle Length: 30-1/4"



Model
No.

Promo
Price

ND990

29.95

PISTOL GRIP NOZZLES

- Continuous-spray stainless steel clip
- Max. Pressure: 100 PSI
- Rear-Trigger
- Threaded for accessories

NM815

NM817



aurora tools

Model No.	Water	Insulated	Body Material	Promo Price
HEAVY-DUTY CONSTRUCTION & COMPONENTS				
NM815	Warm & Cold	Yes	Zinc & ABS	5.75
ERGONOMIC GRIP FOR LONGER USE				
NM817	Hot & Cold	Yes	Zinc & TPR	7.75

CLEANING & RESTORATION SERIES FOAMING COMPRESSION SPRAYER

- Stainless steel wand and poly shut-off with Viton® seals throughout
- Pressure relief valve for ultimate safety
- Chemical resistant poly hose
- Tear-drop shape creates a lower center of gravity to keep the base stable and less likely to tip
- Includes: High foaming nozzle, Wide flat fan nozzle, Narrow flat fan nozzle, Adjustable poly nozzle, Nylon shoulder strap
- Tank Capacity: 2 gal. (9 L)
- Tank Material: Polyethylene
- Hose Length: 50"
- Wand Length: 21"

SMITH
PERFORMANCE SPRAYERS



Model No.	MFG No.	Promo Price
NO283	190456	75.95

SCOOP SHOVELS

- Perfect for moving and scooping lightweight granulated materials
 - Lightweight construction for comfort and productivity
- Hardwood handle with aluminum blade resistant to rust
 - Blade Size: 14" x 18"

TYX063



NM985



aurora tools

Model No.	Handle Type	Handle Length"	O.A Length"	Promo Price
NM985	D-Grip	24-1/2	46-5/8	32.95
TYX063	Straight	45-3/4	63-1/2	32.95

COMMERCIAL DUTY RUBBER HOSES

- Abrasion resistant cover with high burst strength
 - Professional-grade reinforcement for maximum strength
- Features Seal-Tite leak-proof couplings
 - Resists damage from heat, sub-zero weather and normal wear and tear
 - Hose Diameter: 5/8"
 - Couplings: Brass



NJ412

SWAN
The Watering Company™

Model No.	MFG No.	Length'	Promo Price
NJ412	CELSGC58025	25	44.95
NJ413	CELSGC58050	50	59.95

GRAB & GO® MULTI-PURPOSE SPRAYERS

- Features large premium pump with ergonomic shutoff, adjustable poly cone nozzle, buna seals and dip tube filter
- Large 2.5" filling hole with built-in funnel makes filling up and cleaning easy
- One-step assembly is quick and easy
- Tank Material: Polyethylene
- Hose Length: 30"
- Wand Length: 10"
- Colour: White

NO290

SMITH
PERFORMANCE SPRAYERS



Model No.	MFG No.	Tank Capacity	Promo Price
NO290	190503	2 gal. (9 L)	23.95
NO291	190502	1 gal. (4.5 L)	18.95

HEAVY-DUTY FIXED BELT DRIVE DRUM FAN



- Fully enclosed motor
- All-metal construction
 - 9' power cord
 - HP: 3/4
- No. of Speeds: 2
- Motor: 120V/60 Hz

Model No.	Diameter"	CFM High	CFM Low	Promo Price
EA662	42	17900	7400	735.00

DUAL-POSITION FOLDABLE PEDESTAL FAN


- Fan can be used as a pedestal fan or a floor fan
- Fully assembled fan
- All-metal construction painted black & chrome with aluminum blades
- Equipped with two casters for easy maneuverability
- HP: 1/4
- Motor: 120 V/60 Hz
- Drive System: Direct Drive
- Non-Oscillating



Model No.	Diameter"	High	CFM Med	CFM Low	Promo Price
EB116	24	7000	4500	3500	299.00

OSCILLATING INDUSTRIAL-DUTY AIR CIRCULATING FANS

- 120 V
- All-metal construction
- Fully enclosed motor
- 9.8' SJT power cord
- Stem length for pedestal: 89-124 cm
- No. of Speeds: 2



Model No.	Description	HP	CFM High	CFM Low	Promo Price
EA643*	24" Pedestal	1/4	11800	7760	359.00
EA647*	30" Pedestal	1/3	13200	6700	399.00
EA645	24" Wall Mount	1/4	11500	7680	309.00
EA649	30" Wall Mount	1/4	10780	7760	339.00

* Features adjustable height and a heavy-duty round base for added stability

TURBO FAN

- Fan features vertical and horizontal tilt
- Equipped with 6 blades and carrying handle
- Fully assembled and ready to use
- Type: Floor
- Power: 130 W
- No. of Speeds: 3



Model No.	Diameter"	High	CFM Med	CFM Low	Promo Price
EB117	20	2600	2100	1800	65.99

NON OSCILLATING LIGHT INDUSTRIAL AIR CIRCULATING FANS

- Features adjustable height and a heavy-duty round base for added stability
- 120 V
- All-metal construction, with densely chrome-plated guard
- 6' SJT power cord
- No. of Speeds: 2



Model No.	Description	HP	CFM High	CFM Low	Promo Price
EA657	26" Pedestal	1/4	7700	6060	230.00
EA571	30" Pedestal	1/3	8000	7000	255.00

WET-BULB GLOBE TEMPERATURE (WBGT) HEAT STRESS METER

- Measures ambient temperature, humidity, wet bulb temperature, black globe temperature, WBGT (wet bulb global temperature), heat stress index, dew point and pressure
- Heat Stress Index measures how hot it feels when humidity is combined with temperature, air movement and radiant heat
 - Black Globe Temperature (GT) monitors the effects of direct solar radiation on an exposed surface
 - Includes: R6200 WBGT Heat Stress Meter and Batteries
- Air Temperature Range: 0 to 50°C (32 to 122°F)
 - WBGT Temperature Range: 15° - 59°C (59° - 138.2°F)
- Humidity Range: 0% - 99.9% RH
- Power Supply: 4 x AAA Batteries, Optional AC Adapter
- Product Certifications: CE, RoHS



Model No.	Promo Price
IB908	170.50

Pricing in effect until October 8, 2021 or while quantities last. Taxes and freight extra. Issue #SDW221072NA

Due to recent commodity and market volatility, prices are subject to change, and may vary without prior notice.